The Dynamic Plant Layout Problem: Incorporating Rolling Horizons and Forecast Uncertainty

Jaydeep Balakrishnan¹
Chun Hung Cheng²

1. Operations Management Area, Haskayne School of Business, University of Calgary, Calgary, Alberta T2N 1N4, Canada
2. Department of Systems Engineering and Engineering Management, The Chinese University of Hong Kong, Shatin, Hong Kong.

Address for Correspondence:

Jaydeep Balakrishnan
Haskayne School of Business
University of Calgary
Calgary Alberta T2N 1N4 CANADA
Ph: (403) 220 7844 Fax: (403) 210 3327
Email: Jaydeep.Balakrishnan@haskayne.ucalgary.ca

Forthcoming in OMEGA (available online)

The Dynamic Plant Layout Problem: Incorporating Rolling Horizons and Forecast Uncertainty

Abstract

To the best of our knowledge, research in the Dynamic Plant Layout Problem (DPLP) assumes that the planning horizon is fixed and that material flows are known with certainty. But in practice, many companies use rolling planning horizons. Further, they have to deal with the effect of uncertainty in material flow forecasts. This paper investigates the performance of algorithms under fixed and rolling horizons, under different shifting costs and flow variability, and under forecast uncertainty. Nearly 1800 problems were run using different algorithms. The results show that algorithms that dominated under fixed horizons may not work as well under rolling horizons. Also it is difficult to identify an algorithm that performs well under all situations. Thus the development of efficient and effective heuristics might be useful in solving the rolling horizon problem. It also appears that increasing the planning horizon under rolling plans does not offer any advantage. Further forecast uncertainty may not significantly affect the performance of algorithms and in some cases may be beneficial.

Keywords: Dynamic plant layout, heuristics, pairwise exchange, rolling horizons, forecast uncertainty

1.0 Introduction

In the past two decades many researchers have investigated the dynamic plant layout problem (DPLP). The DPLP involves the design of facility layouts based on a multi-period planning horizon. During this horizon, the material handling flows between pairs of departments in the layout may change. This necessitates a more sophisticated approach than the much-researched static plant layout problem (SPLP) approach. The DPLP extends the SPLP by assuming that the material handling flows can change over time. This in turn might necessitate layout rearrangement during the planning horizon.

One assumption that DPLP algorithms have made is that of a fixed planning horizon. However this assumption is not applicable where companies plan on the basis of rolling planning horizons. In the rolling horizon, in every period, the data for the just completed period is replaced with new data from the period at

the end of the new planning horizon. So if the planning horizon is five periods, after the first period, the data for Period 1 is dropped, data for Period 6 is added and the multi-period plan is recalculated. At the end of Period 2, the data for Period 2 is dropped and the data for Period 7 is added. The process continues every period. But in the standard DPLP researchers have assumed that if the planning horizon is five periods, the multi-period plan is created at the beginning of Period 1 and will not change till the end of Period 5 when a new plan for Periods 6 through 10 is created.

This paper investigates the DPLP under rolling horizons and uncertainty. Specifically one objective is to examine whether algorithms that work well under the fixed horizon situation will perform just as well under rolling horizons. In order to do this we use algorithms proposed by Balakrishnan et al. (2000) and Urban (1993). We first solve the fixed period problems using these algorithms to determine whether any algorithms stand out from the rest. Then we also solve rolling horizon problems using these algorithms. This will allow us to test whether there are algorithms that work consistently well under fixed and rolling horizons. We also consider five and ten period planning horizons and the effect of different environmental conditions.

When solving dynamic layout problems, the material flows in each period are based on forecasts. Since forecasts generally have uncertainty (error), a second objective is to test the effect of this uncertainty on the better fixed period algorithms. This will allow us to examine the cost penalty incurred due to the existence of forecast error.

2.0 Literature review:

The first major research on the DPLP was undertaken by Rosenblatt (1996). He uses dynamic programming (DP) to solve the DPLP. Each period in the planning horizon forms a stage. It can be shown that $(N!)^t$ options would have to be explicitly or implicitly evaluated in order to find the optimal solution, where N is the number of departments in the layout and t is the number of periods in the planning horizon. Even for a six department, five period problem, $(N!)^t$ is 1.93×10^{14} combinations, a very large number indeed! Thus obtaining optimal solutions for large problems is not possible. Rosenblatt suggests a heuristic solution using a few good (or even random) static layouts to make the problem tractable. These good layouts could be generated using a SPLP heuristic such as CRAFT (Armour and Buffa, 1963). So a problem with $(n!)^t$ options where $n \ll N$, is solved. However, now there is no guarantee of optimality for the DPLP.

Recently other procedures have been proposed that perform better than Rosenblatt's heuristic DP method. Urban (1993) develops an approach using a steepest-descent pairwise exchange heuristic similar to CRAFT. Lacksonen and Ensore (1993) investigate different mathematical programming approaches. Conway and Venkataramanan (1994) propose the use of genetic algorithms (GA) for the DPLP in 1994 while Kaku and Mazzola (1997) use Tabu Search. Research on dynamic layout when the sizes of departments are unequal have been carried out by among others, Lacksonen (1994), and Montreuil and Venkatadri (1990). Formulations and detailed reviews of these and other approaches to the DPLP can be found in Balakrishnan and Cheng (1998).

More recently, evolutionary approaches (a technique similar to genetic algorithms) have been proposed by Hirabayashi et al. (1999) for a flexible manufacturing system and by Westkamper (2002) for unequal department sizes. Baykasoglu and Gindy (2001, 2004), Erle et al. (2003, 2005) and McKendall and Shang (2006b) have used simulated annealing algorithms (SA) for the DPLP. Balakrishnan et al. (2003) have adopted a hybrid algorithm that combines GA and DP. Baykasoglu et al. (2006) apply an ant colony optimization procedure while McKendall and Shang (2006a) demonstrate that combining ant colony optimization with SA and look-ahead/back heuristics performs better than using ant colony heuristics alone. Dynamic aspects of layout decisions in flexible manufacturing systems (FMS) is discussed in Kouvelis et al. (1992).

Considerable research is also available in planning using rolling horizons. A recent classification of these can be found in Chand et al. (2002). Baker (1977) observes that the performance of optimal methods in a rolling horizon depends on the horizon used, the cost structure and demand patterns. Lundin and Morton (1975), Schwarz (1977), Chand et al. (1990) and Chand et al. (1992) do studies on finding appropriate parameters for rolling horizon planning. Morton (1981), Kleindorfer and Kunreuther (1978) and Sethi and Sorger (1991) investigate the trade off between data accuracy, costs of data collection and the computational cost of the algorithm. Kimms (1998) investigates stability measures for rolling schedules. Hopp and Spearman (2001) report that companies do not use optimal methods such as the Wagner Whitin (WW) for multi-period lot sizing even though it is not difficult to implement on a computer. Thus they speculate that the reason for the lack of use of sophisticated methods may be that “people would rather live with a problem they cannot solve rather than accept a solution they do not understand” (p124). Thus the use of heuristics in rolling horizon problems may be important. Wemmerlov and Whybark (1984) use rolling horizons and uncertainty to compare different lot sizing rules. They find that optimal methods for the fixed

period problem under certainty, such as the WW method, did not statistically work any better than heuristic rules when rolling horizons and forecast error are considered. Sanders and Ritzman (1990) and Sanders and Manrodt (2003) study forecast errors. Hassan (2000) provides guidelines for the effective development of layout models and algorithms.

Many different methods in mathematical programming, optimal control and heuristics have been used in rolling horizon planning. It has also been applied to issues as varied as inventory management, machine replacement, cash management, wheat trading and plant location. However the concept of rolling horizons and forecast uncertainty has not been applied to the layout problem. At the same time it is estimated that over \$250 billion is spent annually in the United States alone on facilities planning and re-planning (Tompkins et al., 2003, p10). Further, between twenty and fifty percent of the total costs within manufacturing are related to material handling and effective planning can reduce these costs by ten to thirty percent (Tompkins et al., p10). Thus it is important that this problem be studied.

3.0 Heuristic Methods Employed in This Paper

The heuristics used in this paper are based on Urban (1993). These are used as they all incorporate the notion of varying time windows. So these algorithms solve DPLPs of different horizons and choose the best solutions from among these. Thus it is felt that these might be attractive in the rolling horizon situation since a rolling horizon implies changing data as in using different time windows.

Urban's heuristic is a steepest descent pair-wise exchange heuristic for the dynamic layout problem. This procedure combines the static and dynamic layout problem into one unlike DP where the DPLP is

separated into static and dynamic phases. Tests by Urban (1993) and Balakrishnan et al. (2000) indicated that it performs quite well. The computational requirements are also quite low for this method whereas for dynamic programming it could be substantial.

The pair-wise exchange procedure is similar to CRAFT. The difference is that shifting costs are included. This heuristic makes use of forecast windows, m , to find different sets of good layout plans for the planning horizon. The forecast window is the number of periods being considered when the pair-wise exchange is performed. It ranges from one to the number of periods t . Using an initial layout and pair-wise exchanges, one set of multi-period layouts is obtained for the given planning horizon in each forecast window.

For example, when the forecast window is 1, *i.e.*, $m=1$, in each application of the pair-wise exchange, only material flows from one period are considered at a time. An assumed or existing initial layout is used to find the most appropriate layout for Period 1 by pair-wise exchanges considering the material flows in Period 1 only. Then this newly generated appropriate layout for Period 1 is used as the initial layout for Period 2. Pair-wise exchange is now used to determine a good layout for Period 2 by considering the material flows in Period 2 only. This process is repeated until the end of the planning horizon. Thus a multi-period layout plan for the entire planning horizon is obtained.

When the forecast window is equal to 2, the material flows in Period 1 and Period 2 are added to determine the layout in Period 1 using pair-wise exchange. Similarly, flow costs in periods 2 and 3 are combined in determining the layout in Period 2. Thus a look-ahead principle is employed. For every m , a multi-period layout plan can be obtained. For each period (from 1 to t in sequence), the exchange of locations of any pair of departments may change the total flow cost in that period. In addition, the rearrangement cost of

shifting from the previous period's layout may change. The pair-wise exchange continues until no further improvement can be found. The total cost of the layout plan is the sum of the costs of rearrangement and material flow in all the periods. Since each forecast window gives a layout plan, the plan with the lowest cost is selected as the final solution. Urban's method provides good solutions and is computational efficient. Thus it is a very practical approach for the DPLP.

Two improvements were proposed for Urban's heuristic by Balakrishnan et al. (2000). The first one involves working backward from the final solution provided by Urban's heuristic. The second involves combining Urban's method with DP.

Urban's heuristic is forward pass in nature. Once a layout for a period is determined, it is never changed in subsequent periods. Thus the quality of the solution in a later period layout depends on the quality of the preceding layouts. This is one disadvantage of the procedure. The backward pass approach reduces this disadvantage. In the backward method, initially Urban's heuristic is used to solve the DPLP for each forecast window m . Then a backward pass pair-wise exchange is performed on each of these solutions, resulting in m backward pass solutions. The best of these is selected as the final solution. The exchange starts in period $(t-1)$ and goes backward until the first period of the planning horizon. Pair-wise exchange procedures are performed and if an improvement is found, the appropriate switch is made in that period. The backward pass procedure ends when Period 1 is evaluated. In the forward pass only the rearrangement costs between period $(t-1)$ and t are considered, as the layout for period $(t+1)$ is not yet known. In backward pass the rearrangement costs between periods $(t-1)$ and t , and the rearrangement costs between periods t and $(t+1)$ are considered since a completed layout plan is available from the forward pass. The forecast

window is always equal to one in the backward pass method and so the additional computational requirements are minimal. Since the backward pass is performed on each layout plan generated from the forward pass, the backward approach will never generate a layout that is worse than the forward pass. If costs cannot be reduced, no exchange will take place in the backward pass.

In Urban's pair-wise exchange heuristic, each forecast window gives a layout plan. Within each plan there may be up to t different layouts, if each period requires a different layout. Moreover, there are m different forecast windows and since $m=t$, there could be up to $t \times m$ or t^2 different layouts generated by Urban's procedure. These layouts can then be used as the states in Rosenblatt's DP procedure that was explained earlier. This method is appealing because the layouts generated by Urban's pair-wise exchange tend to be good. In addition, the number of layouts (states) in the DP resulting from this method will be reasonable as t is rarely greater than ten. Thus this DP can easily be solved in order to improve the pair-wise exchange result. Moreover as in the backward pass, since the forward pass solution is embedded in the DP, it will give a layout plan as least as good as the layout plan generated by the pair-wise exchange.

As a benchmark for smaller problems, dynamic programming (DP) was also included as a method. In the six period problems, all $6!$ or 720 static layouts were included. Thus it obtained the optimal solution in the fixed period horizon problems. In the fifteen and thirty department problems, computation time limitations prevented us from including all $15!$ or $30!$ static layouts. Thus only a fraction of the possible number of static layouts was included. These static layouts were generated using CRAFT or generated randomly.

4.0 Test Setup

The test problems consisted of six, fifteen and thirty departments adopted from Balakrishnan et al. (2000). Three different experiments were conducted. The first experiment involved only five and ten period fixed horizon problems from Balakrishnan et al. (2000). This was done to compare the performance of the different algorithms under fixed horizons.

4.1 Rolling Horizon Experiments

The second experiment involved rolling planning horizons. The Balakrishnan et al. (2000) problem set consists of eight different problems (data set) in each of the six department size and planning horizon combinations (six, fifteen and thirty departments, and five and ten periods). This data set, called the Base Case data set was modified to create three additional experimental settings. This was done to investigate the effects of various environmental conditions on the algorithms. The first modification involved increasing all the shifting costs by 50% compared to the Base Case, while retaining the same flow values. This setting was called the High Shift Base Variability (HSBV) setting. The second modification involved increasing the flow in one-third of the departments by 20%, while keeping the shift costs at the Base Case level. In each problem, the highest departments with respect to total material inflow were selected for the 20% increase. This was called the Base Shift High Variability (BSHV) setting. The objective was to induce higher flow variability by increasing the inflow to those departments with existing higher material flows.

The third modification involved increasing the shift costs by 50% and the flow variability by 20% (compared to the Base Case) called the High Shift High Variability (HSHV) setting.

Number of periods used to evaluate solution cost	Planning horizon (window)for rolling problem	
	Five Period	Ten Period
Five (periods 1 -5 implemented)	Solve iteratively for: Periods 1-5 (for Period 1 implemented solution), Periods 2-6 (for Period 2 implemented solution).....Periods 5-9 (for Period 5 implemented solution)	Solve iteratively for: Periods 1-10 (for Period 1 implemented solution), Periods 2-11 (for Period 2 implemented solution).....Periods 5-14 (for Period 5 implemented solution)
Ten (periods 1 – 10 implemented)	Solve iteratively for: Periods 1-5 (for Period 1 implemented solution), Periods 2-6 (for Period 2 implemented solution).....Periods 5-9 (for Period 5 implemented solution)....Periods 6-10 (for Period 6 implemented solution)....Periods 10-14 (for Period 10 implemented solution)	Not applicable

Figure 1. Planning and evaluation windows

Both five and ten period cost evaluations were considered using five and ten period planning horizons as shown in Figure 1. To create the five period evaluation five period planning horizon solutions (northwest box in Figure 1), the ten period problems from Balakrishnan et al. (2000) were used. Each five period planning horizon situation solved problems using data from Periods 1 through 5, 2 through 6, 3 through 7, 4 through 8, and 5 through 9, respectively. Each of these individual problems would generate a layout for one period, thus generating a five period layout plan overall. For each algorithm, after solving the Period 1 through 5 problem, the layout generated for the first period was considered implemented. Then considering this layout as the initial layout, the problem was solved using data from Periods 2 through 6. Then the layout for Period 2 was considered implemented. In turn the problem was solved using data from periods 3 through 7 using the layout from Period 2 as the initial layout. By doing this iteratively a five period layout plan was generated after solving for periods 5 through 9. For the ten period evaluation five period planning horizon problems (southwest box in Figure 1), the ten period problems from Balakrishnan et al. (2000)

were extended to fifteen periods employing the same parameter values used by them to generate the original data set. Then each ten period planning horizon situation solved problems using data from Periods 1 through 5, 2 through 6, and so on until Periods 10 through 14, similar to that in the five period evaluation problems. Thus comparing the results from the five and ten period cost evaluations (northwest and southwest boxes in Figure 1) would allow us to test whether different algorithms would perform differently given a longer cost evaluation period.

Ten period planning horizons were also considered (northeast box in Figure 1). Since there were only fifteen periods of data, only the five period evaluation could be done in this category. The process uses Periods 1-10 to determine the initial multi-period plan. Then the layout for period one is considered implemented and used as an initial layout for solving Periods 2 through 11. The process is continued for Periods 3-12, 4-13 and 5-14 to give a five period evaluation plan. The five and ten period evaluation plans (northwest and northeast boxes in Figure 1) can be compared to test whether different algorithms would perform differently given different planning horizon lengths.

4.2 Forecast Uncertainty Experiments

The final experiment consisted of examining the effect of forecast uncertainty on the effectiveness of dynamic layout algorithms. In order to do this the original data set (since we wanted to isolate the effects of forecast uncertainty, we used the fixed horizon data set rather than the rolling horizon data set, to avoid the rolling horizon effects) from Balakrishnan et al. (2000) was modified to create forecast uncertainty. We assumed that the material flow between each pair of departments was subject to a negative, zero or positive forecast error with equal probability (one third). This assumption of positive and negative errors is

consistent with unbiased forecasting techniques which would consistently provide both types of errors. Also this equal probability of increase or decrease by the same value ensured that the overall material flow would remain approximately the same as without the forecast uncertainty. This allowed us to establish the cost of this uncertainty in an unbiased manner. It was assumed that the data for Period 1 was quite accurate since it was in the immediate future. Further we assumed (based on Chand et al., 2002) that the forecast error would increase the further out in the future the material flow was forecast. We assumed an increasing forecast error per period of -3%, 0% or +3%. So the error possibility for Period 2 was -3%, 0% or +3%, -6%, 0% or +6% for Period 3 all the way to -27%, 0% or +27% for Period 10 (in the case of the 10 period data set). For example in Period 8, to determine the actual material flow that occurred between any pair of departments (the updated flow matrix), the corresponding material flow in the original matrix (forecast flow matrix) would have an equal probability of increasing by 21%, staying the same or decreasing by 21%. The layouts generated under the fixed horizon case (fixed experiment) was re-costed with the updated flow matrices to examine the effects of forecast uncertainty.

4.3 Initial Layout Generation

The initial (static) layouts for the fixed and rolling horizon problems were generated similarly. In the six department problems, all 6! or 720 possibilities in each period were evaluated using the different algorithms. In the fifteen and thirty department problems, 15! and 30! proved too large for all the possibilities to be generated. Thus Rosenblatt's suggestion, of using good static layouts generated by CRAFT as states in the DP procedure, was implemented. In the DP method, seventy two different good layouts were generated by CRAFT in each period using random initial layouts, resulting in 72×5 i.e., 360 and 72×10 , i.e., 720 states for the five and ten period planning horizon problems, respectively. In the rolling horizon problems, as the horizon rolled, the 72 initial layouts from the dropped period would be

replaced by 72 new initial layouts from the added period. For the problems using only random layouts, the same number of (as in the CRAFT based problems) randomly generated layouts were also used as states.

Since Urban's pair-wise exchange heuristic is sensitive to the initial layouts used, different initial layouts had to be generated. Two methods were used to generate the initial layouts. The first method generated these randomly. The second method used CRAFT to come up with good initial layouts. In the six and fifteen department problems, 72 CRAFT solutions were generated in each period using random initial layouts. These were used as initial layouts for pair-wise exchange. This resulted in 360 CRAFT based layouts for each five period planning horizon problem. For the thirty department problems (as well as for the ten period fifteen department problems), solving 360 or 720 multi-period pair-wise exchange problems for each of the eight data sets would have been very time consuming. Thus only ten initial layouts in each period were used for the five period and ten period planning horizon problems ($2 \text{ per period} \times 5 \text{ periods}$) were used to generate pair-wise exchange solutions. As before, when the horizon rolled, the 72 (or 10 as appropriate) layouts from the dropped period would be replaced by 72 (or 10) new layouts from the added period.

5.0 Computational Results

Each of the eight problems sets (Data 1 to Data 8) were solved under different environmental conditions using the following methods (which resulted in a total of close to 1800 problem runs):

1. Urban's heuristic using initial layouts generated with CRAFT and then combined with DP (UD-C)
2. Urban's heuristic using initial layouts generated with CRAFT and then subjected to the backward pass algorithm (UB-C)
3. Urban's heuristic using initial layouts generated with CRAFT (UC)
4. Urban's heuristic using initial layouts generated randomly (UR)

5. Dynamic programming using static layouts generated with CRAFT (DP-C)
6. Dynamic programming using static layouts generated randomly (DP-R)

In the six department problems, in the DP all the 720 possible layouts were included. Similarly for pair-wise exchange, 720 possible initial layouts were used. Thus the number of different procedures reduced to four; dynamic programming (DP), Urban's pair-wise exchange (U), pair-wise exchange combined with DP (UD), and pair-wise exchange combined with backward pass (UB).

5.1 Fixed Horizon Results

Table 1 shows the summary results from the fixed horizon comparison. The detailed results are shown in Appendix 1 with the lowest cost and the algorithm(s) achieving the lowest cost for each of the eight problems identified. The algorithms are shown in order of the lowest to highest average cost across the eight data sets. In the six department problems, since all the possible static layouts were included, DP gave the optimal solution in every problem. The results show that the proposed modifications to Urban's algorithm provided good results.

Algorithm	Six Department		Algorithm	Fifteen Department		Thirty Department	
	5 Period	10 Period		5 Period	10 Period	5 Period	10 Period
U	5(4) ¹	0(4)	UD-C	5(2)	6(1)	4(1)	5(1)
DP	8(1)	8(1)	UB-C	4(1)	2(1)	5(2)	3(2)
U(D)	4(3)	3(2)	UC	1(3)	0(3)	0(3)	0(3)
U(B)	6(2)	0(3)	UR	1(4)	0(4)	0(4)	0(4)
			DP-C	0(5)	0(5)	0(5)	0(5)
			DP-R	0(6)	0(6)	0(6)	0(6)
¹ The number outside the parenthesis shows the number of times out of the eight problems, the algorithm gave the lowest cost. As seen in Appendix 1 in some cases more than one algorithm gave the lowest cost. The number in parenthesis shows the rank of the algorithm based on average cost for the eight problems.							

Table 1: Fixed horizon results

In the six department five period problems, Urban's method combined with the backward pass (UB-C) and Urban's method combined with dynamic programming (UD-C) gave the optimal solution six times and four times out of eight respectively. In the ten period problems, they were not as effective. Only the UD-C was able to find the optimal solution three times. However it was within 0.13% of optimality. The corresponding numbers without the improvements is three and none. As a result the average deviation from optimality is greater for Urban's original heuristic (even with the additional initial layouts compared to Urban's original research). The modifications to Urban's method (i.e., UD-C and UD-B) gave improved results in each and every one of the fifteen or thirty department problems except one, i.e. thirty one of thirty two (Table 1 and Appendix 1). In that one case there was no improvement. In addition, the results in Appendix 1 show a tendency toward better improvements in the larger problems, i.e., when the number of departments is thirty and/or when number of periods is ten. In the fifteen department ten period problems,

the UD-C method appears to work better than UB-C method. However in the other fifteen and thirty department problems, the same cannot be said. The best solutions seem to be more evenly distributed between UD-C and UB-C.

There also appears to be no advantage in using CRAFT based initial solutions for Urban's pair-wise exchange heuristic. Only in ten of the thirty two problems did it improve the solution. This appears to be a consistent result in both the fifteen and thirty department problems. Consistent with the result in Urban's paper, DP-C and DP-R performed the worst. In addition consistent with the results found in Balakrishnan et al. (2000), DP-C performs better than DP-R. Thus in the fixed horizon cases it appears that the UD-C and UB-C methods dominate the other methods in the larger problems (more departments and/or longer planning horizons) and could be the recommended algorithms to use in the group tested.

5.2 Rolling Horizon Results

5.2.1 Five Period Planning Horizon

Table 2 shows the results in the rolling horizon cases for the five period planning horizon. The detailed results are shown in Appendix 2. Compared to the fixed horizon problems, a few major differences are seen. First, the concept of optimality is difficult to define. Note that in the Base Case, DP, the optimal algorithm in fixed period problems gave the best result only three times in the six department five period problems and five times in the six department ten period problems. In addition on average cost it ranked last in the six department five period problems. In fact U(B) ranked first in six of the eight problems in the

five period data set. Similarly even under other shift cost and flow variability settings, in the six department set, one or more of the heuristic algorithms performed better.

Because new data is added and the layout plan recalculated, there is no guarantee that the optimal layout for the first period is optimal given the recalculated plan. Consider the following example. Assume that in the DP optimal solution based on material flow data from Periods 1 through 5, the static layout shown in Figure 2 is optimal for Period 1. The numbers in the figure show the locations of departments. Also assume that one of the other algorithms, for example Urban's method generated a layout as shown in Figure 3. Figure 4 shows the hypothetical optimal layout for Period 2 when the problem is re-solved with material flow data from Periods 2 through 6. Since the layouts in Figures 3 and 4 are identical, there will be no shifting cost at the end of Period 1 if the layout implemented in Period 1 was based on Urban's algorithm. If the layout for Period 1 based on DP (Figure 2) is implemented there will be a rearrangement cost that might offset any of the savings in material flow cost that the DP solution (Figure 2) might have had over the solution from Urban's method (Figure 3). Thus with the recalculated costs under rolling horizon planning, it may be possible for the optimal fixed period methods to provide poorer results.

Setting	Algorithm	Six Department		Algorithm	Fifteen Department		Thirty Department	
		5 Period ¹	10 Period ²		5 Period ¹	10 Period ²	5 Period ¹	10 Period ²
Base Case	U	4(3) ³	1(4)	UD-C	4(2)	3(1)	2(1)	5(1)
	DP	3(4)	5(2)	UB-C	2(3)	0(4)	2(2)	3(2)
	U(D)	5(1)	4(1)	UC	4(1)	0(3)	3(3)	0(3)
	U(B)	6(2)	1(3)	UR	0(4)	5(2)	1(4)	0(4)
				DP-C	1(5)	0(6)	0(5)	0(5)
HSHV	U	1(2)	0(4)	DP-R	0(6)	0(5)	0(6)	0(6)
	DP	5(2)	3(2)	UD-C	4(2)	5(1)	3(2)	5(1)
	U(D)	6(1)	6(1)	UB-C	1(4)	0(4)	3(1)	1(3)
	U(B)	3(3)	1(3)	UC	3(1)	4(2)	1(4)	1(4)
				UR	2(3)	0(3)	1(3)	1(2)
HSBV	U	5(1)	1(4)	DP-C	0(5)	0(6)	0(5)	0(5)
	DP	2(4)	4(2)	DP-R	0(6)	0(5)	0(6)	0(6)
	U(D)	4(2)	3(1)	UD-C	5(1)	5(1)	6(1)	3(1)
	U(B)	5(3)	2(3)	UB-C	2(2)	4(2)	2(3)	4(2)
				UC	1(4)	0(3)	1(4)	1(3)
BSHV	U	0(4)	0(4)	UR	1(3)	0(4)	0(2)	0(6)
	DP	4(2)	1(2)	DP-C	0(5)	0(6)	0(5)	0(5)
	U(D)	6(1)	6(1)	DP-R	0(6)	0(5)	0(6)	0(6)
	U(B)	4(3)	2(3)	UD-C	2(1)	0(3)	3(2)	3(1)
				UB-C	2(5)	2(4)	3(1)	2(4)
				UC	2(2)	2(2)	2(3)	0(3)
				UR	3(3)	4(1)	0(5)	3(2)
				DP-C	1(4)	0(6)	0(4)	0(5)
				DP-R	0(6)	0(5)	0(6)	0(6)

¹ Using ten period data set; ²Using fifteen period data set; ³The number outside the parenthesis shows the number of times out of the eight problems, the algorithm gave the lowest cost. As seen in Appendix 2 in some cases more than one algorithm gave the lowest cost. The number in parenthesis shows the rank of the algorithm based on average cost for the eight problems.

Table 2: Rolling horizon results (Five period planning horizon; five and ten period evaluations)

1	5	3
4	2	6

Figure 2: DP optimal layout for Period 1

1	5	3
4	2	6

Figure 3: Urban's method layout for Period

2	6	3
4	1	5

Figure 4: DP optimal layout for Period 2

So as in other areas such as lot sizing, when rolling horizons are considered, optimal layout algorithms for the fixed period may not work as well as heuristics. Thus it is important to develop quick and effective heuristic algorithms to solve the rolling horizon problem since there may not be one algorithm that can provide good results all the time.

Further, while in the fixed period problems the modifications to Urban's method, UD-C and UB-C clearly appeared to do better, the same cannot be said in the rolling horizon case. An examination of the six period problems in Table 2 shows only on three occasions out of the thirty two settings did any algorithm fail to attain the 1st rank in at least one out of the eight problems. In many cases the different algorithms ranked 1st on many occasions within each data set. It also appears that algorithms that perform well under one setting may not perform well under other settings. For example consider the HSHV and HSBV settings in the six department five period problem. In the HSHV, the original Urban algorithm ranked 1st only once (and last on average) whereas it ranked 1st (and first on average) five times in HSBV. Similarly DP which ranked 1st five times under HSHV, ranked 1st only twice under HSBV.

While in the six period problems, the differences in algorithm performance is very small (in six out of the eight settings the worst algorithm's cost was within 0.55% of the best algorithm's cost), the differences are more pronounced in the fifteen and thirty department problems where the this range is sometimes more than 5%. However, as in the six department case, different algorithms performed better under different situations. In the larger fixed period problems in Table 1 (fixed horizon), it was seen that UD-C or UB-C always came up with the best solution. In the large rolling horizon problems this is not necessarily true.

While the UD-C does appear to perform the best out of the different algorithms in general, in some cases (BSHV, fifteen department, ten period) it failed to rank 1st in any of the eight problems, and ranked third on average. Similarly UB-C, generally a good algorithm ranked fourth on average in the HSHV, fifteen department, ten period setting. The original Urban algorithms (UC and UR), which did not do as well as UB-C and UD-C in the fixed horizon, ranked 1st in three settings.

Further no particular patterns were detected in the relative performance of the algorithms under different settings. In other words, it did not appear that any of the algorithms were performing consistently better under specific shift-cost-flow-variability settings for larger or smaller problems. Thus it appears that under rolling horizons algorithms that dominated in the fixed horizon settings are unable to maintain their dominance. Thus it is important to develop multiple efficient and effective algorithms. Then one can try different algorithms and implement the one that provides the best solution given rolling horizon data rather than relying on one algorithm that may not always give the best result. The difference in costs between the four Urban's method based heuristics was not large; usually they were within 1% of each other. Thus all of them appeared capable in the rolling horizon problems.

Further it appears that if an algorithm performs significantly poorly in general in the fixed period problem, it is not likely to do well in the rolling horizon case either. This can be illustrated by looking at the two DP based algorithms in Tables 1 and 2. In Table 1 in the small fixed period problems they gave the optimal solution because they included all the possible layouts. In the large problems in Table 1, it is seen that they performed quite poorly on the larger problems because only a very small fraction (720) of the possible $15!$ or $30!$ layouts are included due to computation time restrictions. This sample is possibly too small to provide good results often. This effect is seen in the rolling horizon problems (Tables 2 and 3) where in the smaller problems, since they included all the possible layouts, they performed well. In the larger problems they performed poorly. In fact they appear to have done relatively worse in the rolling period experiments being as much as 9% more in cost compared to the best ranked solution. Their poorer performance relative to the fixed period data may be due to the fact that DP has no self adjusting capability. It depends on the initial layouts designed apriori based on the forecast flow in each period. On the other hand the four Urban's method based algorithms are able to create new interim layouts (through the pair wise exchange procedure) that might respond better to the newer data that is added. Thus these methods appear to have better self adjusting capability. This self adjusting capability also allows them to respond better to changing shifting costs and changing flow variability.

5.2.2 Ten Period Planning Horizon

Table 3 compares the results of the ten period planning horizon rolling problem (with a five period evaluation). The detailed results are in Appendix 3. The results are similar to the five period planning horizon problems. In the six department problems it is difficult to distinguish between the algorithms. In the fifteen and thirty department problems UD-C performs better generally than the rest. But neither it nor the UB-C dominates. The results are situation specific, but no specific patterns could be detected. Thus as in the five period planning

horizon problems it may be better to use multiple algorithms to determine the best one to implement. Consistent with the previous algorithms the DP based algorithms performed poorly.

5.2.3 Five Versus Ten Period Planning Horizon

Table 4 shows the comparison between the five and ten period planning horizons in the rolling experiment. It appears that there is little difference between using a ten period planning horizon and a five period horizon. In the six department problems the ten period window seems to work better but the differences are minor. In most cases the cost difference is less than 0.25%. In the fifteen and thirty department problems, in general the five period horizons work better. Again though, the cost differences are minor, usually less than 0.5%. The only exceptions are the DP based methods which performed as much as 5.17% worse in the ten period planning horizon problems. This may be due to the fact that in the larger problems, the relative sample size of layouts included decreases in the ten period problems thus providing less good static layouts to provide good multi-period solutions.

Setting	Algorithm	Six Department		Algorithm	Fifteen Department	Thirty Department
		5 Period ¹			5 Period ¹	5 Period ¹
Base Case	U	4(2)		UD-C	4(2)	5(1)
	DP	3(4)		UB-C	3(3)	1(2)
	U(D)	2(3)		UC	2(1)	1(3)
	U(B)	5(1)		UR	1(4)	1(4)
				DP-C	0(5)	0(5)
				DP-R	0(6)	0(6)
HSHV	U	1(3)		UD-C	4(2)	5(1)
	DP	2(4)		UB-C	3(1)	4(2)
	U(D)	3(2)		UC	1(3)	1(3)
	U(B)	4(1)		UR	0(4)	0(4)
				DP-C	0(5)	0(5)
				DP-R	0(6)	0(6)
HSBV	U	5(1)		UD-C	3(1)	5(1)
	DP	1(4)		UB-C	2(2)	2(4)
	U(D)	2(3)		UC	3(3)	1(2)
	U(B)	5(2)		UR	1(4)	2(3)
				DP-C	0(5)	0(5)
				DP-R	0(6)	0(6)
BSHV	U	2(4)		UD-C	3(3)	4(1)
	DP	2(3)		UB-C	4(2)	3(2)
	U(D)	3(1)		UC	1(4)	0(4)
	U(B)	3(2)		UR	4(1)	1(3)
				DP-C	0(5)	0(5)
				DP-R	0(6)	0(6)

¹Fifteen period data set

Table 3: Rolling horizon results (Ten period planning horizon; five period evaluation)

Compared to a five period planning horizon, a ten period planning horizon implies gathering an additional five periods of data. This may have additional costs and effort associated with it particularly since data for periods further out in the future may be more difficult to obtain due to forecast uncertainty. Further the ten period planning horizon means higher computational effort. Our research shows that in light of all these additional cost and effort, it may be better to use five period planning horizons since there appears to be no evidence that a ten period planning horizon works better.

Setting	Algorithm	Six Department	Algorithm	Fifteen Department	Thirty Department
Base Case	U DP U(D) U(B)	-0.22% ¹ -0.17% 0.01% -0.25%	UD-C UB-C UC UR DP-C DP-R	0.14% 0.11% 0.20% 0.08% 3.35% 1.66%	0.28% 0.05% 0.20% 0.26% 1.02% 0.60%
HSHV	U DP U(D) U(B)	-0.32% 0.26% -0.02% -0.48%	UD-C UB-C UC UR DP-C DP-R	0.15% -0.13% 0.44% 0.43% 3.68% 1.94%	-0.56% -0.13% -0.64% 0.36% 1.13% 0.29%
HSBV	U DP U(D) U(B)	-0.16% 0.15% 0.00% -0.16%	UD-C UB-C UC UR DP-C DP-R	0.18% 0.12% -0.13% 0.10% 1.85% 1.02%	0.14% 0.16% -0.02% 0.20% -0.32% 0.58%
BSHV	U DP U(D) U(B)	0.32% 0.21% 0.00% 0.03%	UD-C UB-C UC UR DP-C DP-R	2.69% -0.03% 0.40% 0.01% 5.17% 1.80%	-0.14% 0.09% 0.21% -1.87% 1.59% 1.52%

¹ A negative number indicates that the ten period window provided lower cost than the five period window

Table 4: Difference in cost between five period and ten period planning horizon horizons.

5.3 Uncertainty Experiment Results

Table 5 shows the results for the forecast uncertainty experiment for the different problem sizes (for example 6D5P implies a six department five period problem). We tested only the algorithms that consistently performed best in the fixed layout experiments, i.e., Urban's method combined with DP and

Urban's method with a backward pass (both using CRAFT based initial layouts in the larger problems).

We calculated the cost of forecast uncertainty using the following steps:

1. Generate forecast flow data: This was basically flow data from the fixed horizon experiments since these were forecasted flows made at the beginning of the planning horizon.
2. Generate actual flow data: The flow data from the fixed period experiment was updated to produce actual flow data using the forecast error introduction techniques discussed earlier. In practice of course this flow data would be known only at the end of the planning horizon when the products had already been manufactured and actual flows are calculated.
3. Determine optimal layout plan and cost using the forecasted flow data. Thus it is assumed that no updated forecasts were available for the multi-period layout plan to be updated during the planning horizon.
4. Determine the cost of the layout plan determined in Step 3 using actual flow data. This represents the actual cost incurred due to the use of the layout plan designed in Step 3.
5. The difference in the costs between Step 4 and Step 3 represents the additional cost due to the use of a suboptimal layout plan. This suboptimality occurs due to the forecast error and thus this additional cost is the worst case cost of forecast error, since (as mentioned in Step 3) no plan updating was done.

In Table 5, a value of 100.34% indicates that the actual cost was 0.34% more than the forecast cost. So this would be cost of forecast uncertainty for that problem. Table 5 also shows that the cost of the forecast uncertainty is very low for both UD-C and UB-C. In fact in some cases the cost with the actual data is less than the cost with forecast data (i.e., values less than 100%). While it may seem strange that with forecast error, one can have a lower cost layout, this phenomenon can be explained based on the nature of flow costs.

	Algo- rithm	Problem Number								
		1	2	3	4	5	6	7	8	Avg.
6D5P	UD	99.97% ¹	100.36%	99.21%	101.52%	100.06%	99.83%	99.34%	100.24%	100.07%
	UB	99.97%	100.36%	99.30%	101.46%	100.06%	99.83%	99.34%	100.26%	100.07%
6D10P	UD	100.71%	98.73%	100.32%	98.53%	99.13%	100.06%	101.16%	102.18%	100.10%
	UB	100.72%	98.78%	100.38%	98.21%	99.06%	99.83%	100.91%	102.13%	100.00%
15D5P	UD-C	99.67%	100.35%	100.22%	100.18%	100.57%	99.89%	100.15%	99.89%	100.11%
	UB-C	99.67%	100.35%	100.38%	100.21%	100.57%	100.04%	100.15%	99.88%	100.15%
15D10P	UD-C	100.16%	99.54%	100.57%	99.68%	100.20%	99.92%	100.11%	100.07%	100.03%
	UB-C	100.22%	99.59%	100.42%	99.68%	100.04%	100.09%	99.68%	100.07%	99.97%
30D5P	UD-C	99.90%	99.86%	99.84%	100.01%	99.98%	99.96%	99.93%	99.89%	99.92%
	UB-C	99.90%	99.83%	99.75%	100.06%	100.08%	100.00%	100.02%	99.77%	99.92%
30D10P	UD-C	99.90%	99.87%	100.17%	100.20%	99.97%	99.88%	100.31%	99.96%	100.03%
	UB-C	99.93%	99.81%	100.19%	100.19%	100.13%	99.93%	100.39%	99.95%	100.07%

¹Shows the percentage of the cost of the layout plan under actual flow compared to that under forecast flow

Table 5: Percentage comparison of layout costs with and without forecast uncertainty

Consider two pairs of departments, 1 and 2 with a distance of 10 metres between them, and departments 3 and 4 with a distance of 15 metres between them. Assume that the flow in both pairs is 100 units and that moving each unit of flow 1 metre costs \$1. The total cost of flow in these two pairs is \$2500 (\$1000 in the case of pair 1-2 and \$1500 in the case of pair 3-4). If the actual flow between 1 and 2 is increased by 3% and the actual flow between 3 and 4 is decreased by 3% because of forecast error the new cost of flow is \$2485 (\$1030 in the case of 1-2 and \$1455 in the case of 3-4). This is less than \$2500 illustrating that forecast uncertainty need not always be disadvantageous.

In nine of the twelve department-size and period combinations, the average cost increased due to forecast error while in the other three the cost actually decreased. Even the increase in costs was quite minor, in all cases less than 1%. Further it appears that the cost of uncertainty does not appear to increase for the longer planning horizons. Though this result is problem specific, our tests illustrate that at least in layout, forecast error should not deter one from using algorithms designed assuming certainty in flow data. Like other models such as the EOQ model where forecast errors often do not result in significant cost penalties, the layout problem also seems robust to forecast error. While one factor that mitigates the effect of forecast error is the existence of negative and positive errors which could offset each other, the other factor is shifting cost. Even if actual data flow is different from forecast data resulting in increased flow cost, it is not necessary that the optimal layout should have been different. If the increase in flow cost is less than the cost to shift the relevant departments, then the layout designed using the forecast data would still be optimal. Thus our decision would still be optimal and the flow cost increase would not make the decision any more costly.

6.0 Conclusion

Most research in DPLP has assumed fixed planning horizons and no forecast error. In practice many organizations may use rolling planning horizons. In this paper, we investigated whether using a rolling planning horizon would make a difference in the relative effectiveness of algorithms. Further we also investigated the effect of forecast error on the effectiveness of different algorithms. The experimental setting also involves different flow variability and shift cost settings.

Our experiments show that rolling horizons do have an effect on the effectiveness of algorithms. The definitions of optimality become less relevant. Further in the fixed horizon problems we were able to identify two algorithms (both modifications to Urban's method) that dominated the others. In the rolling

horizon problems, while these still did well, they could not maintain their dominance. Many of the other algorithms provided better results on some of the problems. The difference between the four Urban's method based algorithms was not large. At the same time the algorithms that did poorly in the large fixed period problems appear to do even worse on the rolling horizon problems. These were the DP based algorithms that did not have the ability to self adjust to the changing data. This underlines the importance of using algorithms that have some self adjusting capability when rolling horizons are considered. Also our experiments demonstrate the importance of developing quick and effective heuristics for the dynamic layout problem under rolling horizons since it appears that no one algorithm is able to do well in all situations. Thus we cannot rely on one algorithm to consistently give good results.

No patterns of differences in performance could be detected for the different shift-cost-flow-variability combinations. Similarly no significant differences could be identified between five and ten period planning horizons. This implies that given the cost of additional data acquisition it may be better to use five period planning horizons.

Further it appears that uncertainty in forecasts should not be a deterrent to using dynamic layout algorithms designed assuming certainty in demand forecasts. Our experiment shows that with positive and negative forecast errors (a characteristic of unbiased forecasts), the negative effects could be minimal. Sometimes it may even be beneficial given the structure of the layout problem.

Acknowledgements

This work was substantially supported by a grant from the Research Grants Council of the Hong Kong Special Administrative Region, China (Project No. 411205).

References

1. Armour G.C., and Buffa E.S., "A heuristic algorithm and simulation approach to relative allocation of facilities", *Management Science*, 9, 2, 1963, pp 294-300.
2. Baker, K.R. An experimental study of the effectiveness of rolling schedules in production planning. *Decision Sciences*. 8, 1977 pp 19-27.
3. Balakrishnan J. and Cheng C.H., "Dynamic layout algorithms: a state-of-the-art survey", *OMEGA*, 26,4, 1998 pp 507-521.
4. Balakrishnan J, and Cheng C.H., "Genetic search and the dynamic layout problem", *Computers and Operations Research*, 27, 2000, pp 587-593.
5. Balakrishnan J., and Cheng C.H., and Conway D.G., "An improved pair-wise exchange heuristic for the dynamic plant layout problem", *International Journal of Production Research*, 38, 13, 2000, pp 3067-3077.
6. Balakrishnan J., Cheng C.H., Conway D.G., and Lau E.C.M., "A hybrid genetic algorithm for dynamic layout", *International Journal of Production Economics*, 86, 2, 2003, pp 107-120.
7. Baykasoglu A., and Gindy N.N.Z., A simulated annealing algorithm for the dynamic layout problem, *Computers and Operations Research*, 28, 2001, 1403-1426.
8. Baykasoglu A., Dereli T., and Sabuncu I., "An ant colony algorithm for solving budget constrained and unconstrained dynamic facility layout problems", *Omega*, 34, 4, 2006, pp 385-396.
9. Baykasoglu A., and Gindy N.N.Z., Erratum to "A simulated annealing algorithm for the dynamic layout problem", *Computers and Operations Research*, 31, 2004, pp 313-315.
10. Chand S., Sethi S.P. and Proth. J., "Existence of forecast horizons in undiscounted discrete time lot size models", *Operations Research*, 38, 1990, pp 884-892
11. Chand S. and Sorger. G., "Forecast horizons in the discounted dynamic lot size model", *Management Science*, 38, 1992, pp 1034-1048.

12. Chand S., Hsu V.N., and Sethi S., "Forecast, solution, and rolling horizons in operations management problems: A classified bibliography," *Manufacturing & Service Operations Management*, 4, 1, 2002, pp 25-43.
13. Conway D.G., and Venkataramanan M.A., "Genetic search and the dynamic facility layout problem", *Computers & Operations Research*, 21, 8, 1994, pp 955-960.
14. Erel, J. B., Ghosh, J. and Simon J.T., "New heuristic for the dynamic layout problem", *The Journal of the Operational Research Society*, 54, 2003, pp 1275-1282.
15. Erel, J. B., Ghosh, J. and Simon J.T., Corrigendum: "New heuristic for the dynamic layout problem", *The Journal of the Operational Research Society*, 56, 8, 2005, p. 1001.
16. Hassan H.M.D, "Toward re-engineering models and algorithms of facility layout", *Omega*. 28, 6; 2000, pp. 711-723.
17. Hirabayashi N., Kita H., and Nagasawa H., 1999. Dynamic facility layout using evolution strategies, *Proceedings of the Second World Manufacturing Congress*, 1999, pp 154-159.
18. Hopp, W.J. and Spearman. M.L., *Factory Physics*, New York, NY: Irwin McGraw Hill, 2001.
19. Kaku B. and Mazzola J.B., "A tabu-search heuristic for the plant layout problem", *ORSA Journal on Computing*, 9, 4, 1997.
20. Kimms A., "Stability measures for rolling schedules with applications to capacity expansion planning, master production scheduling, and lot sizing", *Omega*, 26, 3, 1998, pp. 355-366.
21. Kleindorfer, P. and Kunreuther. H., "Stochastic horizons for the aggregate planning problem", *Management Science*, 24 1978, pp 485-497.
22. Kouvelis, P., Chiang, W-C. and Kiran, A S., "A Survey of Layout Issues in Flexible Manufacturing Systems", *Omega*, 20, 3, 1992, pp. 375-390.
23. Lacksonen T.A., Static and dynamic layout Problems with varying areas", *Journal of the Operational Research Society*, 45, 1, 1994, pp 59-69.
24. Lundin, R.A. and Morton T.E., "Planning horizons for the dynamic lot size model: Zabel vs. protective procedures and computational results", *Operations Research*, 23 1975, pp 711-734.
25. McKendall A. R. Jr. and Shang J., "Hybrid ant systems for the dynamic facility layout problem", *Computers & Operations Research*, 33, 3, 2006a, pp 790-803.
26. McKendall A. R. Jr., Shang J., and Kuppusamy S., "Simulated annealing heuristics for the dynamic facility layout problem" *Computers & Operations Research*, 33, 8, 2006b, pp 2431-2444.

27. Montreuil B., and Venkatadri U., "Strategic interpolative design of dynamic manufacturing system layouts", *Management Science*, 37, 1990, pp 272-286.
28. Morton, T.E., "Forward algorithms for forward thinking managers", *Applications of Management Science*, Vol. 1, Greenwich, CT: JAI Press, 1981, pp1-55.
29. Rosenblatt M.J., "The dynamics of plant layout", *Management Science*, 32, 1, 1986, pp 76-86.
30. Sanders N.R. and Manrodt K.B., "The efficacy of using judgmental versus quantitative forecasting methods in practice", *Omega*, 31, 6, 2003, pp. 511-522.
31. Sanders N.R. and Ritzman L.P., "Improving short-term forecasts", *Omega*, 18, 4, 1990, pp. 365-373.
32. Schwarz, L.B., "A note on the near optimality of 5-EOQ's worth forecast horizons. *Operations Research*, 25, 1977, pp 533-536.
33. Sethi S., and Sorger G., "A theory of rolling horizon decision making", *Annals of Operations Research*, 29, 1991, pp 387-416.
34. Smith, B.T., *Focus Forecasting Computer Techniques for Inventory Control*. Boston: CBI Publishing, 1978.
35. Tompkins J.A., White J.A., Bozer Y.A., and Tanchoco J.M.A. (2003), *Facilities Planning*, New York, NY: Wiley.
36. Urban T.L., "A heuristic for the dynamic facility layout problem", *IIE Transactions*, 25, 4, 1993, pp57-63,
37. Wemmerlov, U. and Whybark, D.C., "Lot-sizing under uncertainty in a rolling schedule environment", *International Journal of Production Research*, 22, 1984, pp 467-484.
38. Westkamper E., (Ed.), 2002. Wandlungsfähige Unternehmensstrukturen für die variantenreiche Serienproduktion- Report 2000, 2001, 2002: Collaborative Grant 467. Stuttgart; Universität /Institut für Industrielle Fertigung und Fabrikbetrieb (IFF).

Appendix 1: Fixed Horizons

Six Department Problems: all 6!, i.e., 720 static layouts used

Algorithm		Problem								Avg.
Name	No.	1	2	3	4	5	6	7	8	
DP	2	106419	104834	104320	106399	105628	103985	106439	103771	105,224
U(B)	3	106419	104834	104791	107243	105628	104053	106439	103771	105,397
U(D)	1	106419	104834	104320	106583	105628	104053	106439	105005	105,410
U	4	106419	105262	104791	107243	105628	104810	106439	105005	105,700
Minimum Cost		106,419	104,834	104,320	106,399	105,628	103,985	106,439	103,771	
Algorithm No.		All	2,3,4	2,3	2	All	2	All	2,4	

Table A1A Six departments, five periods

Algorithm		Problem								Avg.
Name	No.	1	2	3	4	5	6	7	8	
DP	2	214313	212134	207987	212530	210906	209932	214252	212588	211,830
U(D)	1	214313	212138	207987	213185	210906	210360	215165	213967	212,253
U(B)	3	215143	212293	209817	213706	210944	212584	216593	212823	212,988
U	4	215283	212877	209952	213845	219944	213516	216769	215818	214,751
Minimum Cost		214,313	212,134	207,987	212,530	210,906	209,932	214,252	212,588	
Algorithm No.		1,2	2	1,2	2	1,2	2	2	2	

Table A1B: Six departments, ten periods

Fifteen Department Problems: (CRAFT: 72 layouts improved by CRAFT in each period, total 360 layouts; Random: 72 random layouts in each period, total 360 layouts)

Algorithm		Problem								Avg.
Name	No.	1	2	3	4	5	6	7	8	
UB-C	2	484142	485809	491381	484625	490494	490086	489345	492644	488,566
UD-C	1	485139	485809	491363	486955	489987	489606	489625	492244	488,841
UC	3	485139	485809	492015	487313	491899	490146	489897	492644	489,358
UR	4	485139	485809	492015	487313	491899	490146	489897	493758	489,497
DP-C	5	486276	490013	495343	489338	494605	492877	492417	495515	492,048
DP-R	6	508496	510624	519488	512838	512834	512377	510582	519629	513,359
Minimum Cost		484,142	485,809	491,363	484,625	489,987	489,606	489,345	492,244	
Algorithm No.		2	1,2,3,4	1	2	1	1	2	1	

Table A1C: Fifteen departments, five

Algorithm		Problem								Avg.
Name	No.	1	2	3	4	5	6	7	8	
UD-C	1	989486	984307	988363	977318	984894	974989	988521	989293	984,646
UB-C	2	991092	985863	992601	977765	986731	975598	988244	989154	985,881
UC	3	991155	986338	993886	982606	987985	975658	990102	989693	987,178
UR	4	991929	986338	993471	982606	987985	977271	989712	990548	987,483
DP-C	5	992274	987397	995889	984308	990347	981629	991016	992987	989,481
DP-R	6	1038203	1029594	1045949	1025717	1029920	1024417	1038686	1045932	1,034,802
Minimum Cost		989,486	984,307	988,363	977,318	984,894	974,989	988,244	989,154	
Algorithm No.		1	1	1	1	1	1	2	2	

Table A1D: Fifteen departments, ten periods

Thirty Department Problems:

For DP-C and DP-R: CRAFT: 72 layouts improved by CRAFT in each period, total 360 layouts; Random: 72 random layouts in each period, total 360 layouts

For UD-C, UB-C, UC, UR: CRAFT: 2 layouts improved by CRAFT in each period, total 10 layouts; Random: 2 random layouts in each period, total 10 layouts

Algorithm		Problem								Avg.
Name	No.	1	2	3	4	5	6	7	8	
UB-C	2	579742	572505	579712	574967	560064	568094	567917	577636	572,580
UD-C	1	581014	576671	580850	573611	559662	567463	567917	577488	573,085
UC	3	580225	576390	581997	576040	562085	568657	568676	578905	574,122
UR	4	581014	576671	582206	575245	561577	569133	567917	579774	574,192
DP-C	5	594590	585349	593992	580370	566628	574727	576602	581241	581,687
DP-R	6	611794	611873	611664	611766	603327	608151	607134	618287	610,500
Minimum Cost		579,742	572,505	579,712	573,611	559,662	567,463	567,917	577,488	
Algorithm No.		2	2	2	1	1	1	1,2	1	

Table A1E: Thirty departments, five periods

Algorithm		Problem								Avg.
Name	No.	1	2	3	4	5	6	7	8	
UD-C	1	1170945	1174542	1170476	1155828	1131484	1148184	1145916	1171856	1,158,654
UB-C	2	1169139	1173759	1169478	1157124	1135303	1152107	1154961	1172538	1,160,551
UC	3	1172070	1177458	1171729	1159742	1139455	1150567	1153666	1179190	1,162,985
UR	4	1170945	1178261	1171816	1158903	1139080	1153336	1155770	1179290	1,163,425
DP-C	5	1195988	1202683	1198235	1169999	1143509	1159383	1158983	1179200	1,175,998
DP-R	6	1228411	1231978	1231829	1227413	1209014	1221986	1212273	1242347	1,225,656
Minimum Cost		1,169,139	1,173,759	1,169,478	1,155,828	1,131,484	1,148,184	1,145,916	1,171,856	
Algorithm No.		2	2	2	1	1	1	1	1	

Table A1F: Thirty departments, ten periods

APPENDIX 2 : Five Period Planning Horizon Rolling Problems

Shift/Flow	Algorithm		Problem								Avg.
			1	2	3	4	5	6	7	8	
Base Case	U(D)	3	107,352	106,784	104,529	106,885	106,929	103,985	106,447	104,185	105,887
	U(B)	4	107,352	106,784	105,511	106,515	106,929	103,985	106,447	103,771	105,912
	U	1	107,352	106,082	105,511	106,885	107,040	103,985	106,447	104,185	105,936
	DP	2	107,352	106,717	104,529	107,015	107,503	104,987	106,907	103,771	106,098
	Min. Cost¹		107,352	106,082	104,529	106,515	106,929	103,985	106,447	103,771	
	Algorithm No.²		all	1	2,3	4	3,4	1,3,4	1,3,4	2,4	
HSHV	U(D)	3	137,416	138,815	136,022	138,644	137,795	134,114	141,466	134,933	137,401
	DP	2	137,416	138,046	136,022	138,644	137,795	136,354	141,466	134,933	137,585
	U(B)	4	138,346	139,000	136,022	139,012	137,795	135,049	142,557	134,933	137,839
	U	1	137,028	138,359	138,040	139,012	138,455	134,827	142,557	134,933	137,901
	Min. Cost		137,028	138,046	136,022	138,644	137,795	134,114	141,466	134,933	
	Algorithm No.		1	2	2,3,4	2,3	2,3,4	3	2,3	all	
HSBV	U	1	106,419	105,731	105,823	107,823	108,669	108,675	109,047	105,794	107,248
	U(D)	3	108,261	107,042	105,561	107,823	108,195	108,675	109,047	105,794	107,550
	U(B)	4	106,419	109,558	105,561	107,823	108,171	108,675	109,047	105,794	107,631
	DP	2	108,261	108,955	105,561	109,489	108,195	106,935	109,221	104,645	107,658
	Min. Cost		106,419	105,731	105,561	107,823	108,171	106,935	109,047	104,645	
	Algorithm No.		1	1	2,3,4	1,3,4	4	1,3,4	1,3,4	2	
BSHV	U(D)	3	137,627	135,112	134,176	136,593	135,350	132,372	139,022	134,059	135,539
	DP	2	137,627	135,112	134,450	136,144	135,549	133,910	139,022	134,059	135,734
	U(B)	4	137,627	135,112	135,135	136,629	135,350	133,088	138,448	134,597	135,748
	U	1	136,558	135,999	135,381	136,593	135,461	133,025	139,018	135,379	135,927
	Min. Cost		136,558	135,112	134,176	136,144	135,350	132,372	138,448	134,059	
	Algorithm No.		2,3,4	2,3,4	3	2	3,4	3	4	2,3	

¹Cost of the lowest cost algorithm for the problem

² The number of the algorithm (for example U(D) is Algorithm 3), that provided the lowest cost

Table A2A: Six Department Five Period Evaluation Problems (in order of average cost for eight problems)

Shift/Flow	Algorithm	No.	Problem								Avg.
			1	2	3	4	5	6	7	8	
Base Case	U(D)	3	214,313	213,477	209,262	213,575	210,906	209,932	214,561	213,237	212,408
	DP	2	214,313	214,447	208,406	213,287	211,607	211,432	215,934	213,002	212,804
	U(B)	4	215,739	213,264	211,246	213,391	210,662	211,461	216,192	213,003	213,120
	U	1	215,724	214,430	209,618	213,707	210,662	218,818	219,029	216,280	214,784
	Min. Cost		214,313	213,264	208,406	213,287	210,662	209,932	214,561	213,002	
	Algorithm No.		2,3	2,3	2	2	1,4	3	3	2	
HSHV	U(D)	3	275,203	275,716	272,077	276,909	274,875	273,170	283,032	276,934	275,990
	DP	2	276,046	275,297	273,021	277,252	274,875	275,974	283,601	276,934	276,625
	U(B)	4	278,076	276,277	274,420	279,815	276,505	274,972	282,796	277,204	277,508
	U	1	278,076	277,647	275,385	279,815	275,129	274,161	286,147	281,439	278,475
	Min. Cost		275,203	275,297	272,077	276,909	274,875	273,170	282,796	276,934	
	Algorithm No.		3	2	3	3	2,3	3	4	2,3	
HSBV	U(D)	3	217,568	215,401	212,724	214,451	214,118	212,552	218,142	215,418	215,047
	DP	2	216,539	215,399	212,462	214,451	215,280	215,730	219,264	215,418	215,568
	U(B)	4	218,936	216,902	214,269	214,947	214,917	212,015	217,236	217,338	215,820
	U	1	218,936	215,719	212,010	214,947	215,126	213,407	219,898	217,885	215,991
	Min. Cost		216,539	215,399	212,010	214,451	214,118	212,015	217,236	215,418	
	Algorithm No.		2	2	1	2,3	3	4	4	2,3	
BSHV	U(D)	3	273,003	270,473	268,368	274,497	271,235	268,948	277,507	274,798	272,354
	DP	2	273,331	271,853	269,207	274,828	271,877	270,486	278,546	274,798	273,116
	U(B)	4	274,659	270,913	269,123	276,326	270,871	268,901	278,897	275,483	273,147
	U	1	275,648	274,733	270,563	276,520	271,130	271,504	285,324	276,008	275,179
	Min. Cost		273,003	270,473	268,368	274,497	270,871	268,901	277,507	274,798	
	Algorithm No.		3	3	3	3	4	4	3	2,3	

Table A2B: Six Department Ten Period Evaluation Problems

Table A2C: Fifteen Department Five Period Evaluation Problems

Shift/Floor	Algorithm	No.	Problem								Avg.
			1	2	3	4	5	6	7	8	
Base Case	UC	3	488,308	486,553	492,015	489,101	494,095	489,167	491,835	492,644	490,465
	UD-C	1	486,616	486,533	493,309	485,467	492,001	497,183	491,835	493,318	490,783
	UB-C	2	488,615	486,553	492,318	488,044	497,419	489,254	493,649	492,644	491,062
	UR	4	488,308	489,884	492,015	489,101	494,095	489,167	494,941	498,084	491,949
	DP-C	5	486,382	490,013	495,343	489,338	495,500	501,567	494,378	500,344	494,108
	DP-R	6	509,839	510,624	519,488	512,838	515,056	512,377	510,582	519,629	513,804
	Min. Cost		486,382	486,533	492,015	485,467	492,001	489,167	491,835	492,644	
	Algorithm No.		5	1	2,3	1	1	3	1,3	2,3	
HSHV	UC	3	660,643	644,831	649,623	649,876	657,867	651,532	644,600	639,100	649,759
	UD-C	1	662,899	652,863	646,623	648,936	657,311	651,982	642,784	638,575	650,247
	UR	4	658,777	647,417	648,674	650,692	657,867	651,532	650,986	646,906	651,606
	UB-C	2	665,064	646,060	647,987	642,206	661,608	662,428	648,842	639,100	651,662
	DP-C	5	660,370	648,396	650,029	648,737	668,276	668,490	648,874	652,632	655,726
	DP-R	6	693,983	679,834	682,655	683,178	688,637	682,911	672,447	677,234	682,610
	Min. Cost		658,777	644,831	646,623	642,206	657,311	651,532	642,784	638,575	
	Algorithm No.		4	3	1,3	2	1	3,4	1	1	
HSBV	UD-C	1	494,614	493,728	500,777	490,700	500,129	501,254	495,737	503,445	497,548
	UB-C	2	495,662	495,517	500,223	491,709	500,777	497,913	498,529	506,131	498,308
	UR	4	498,626	497,327	500,745	496,984	495,656	502,480	496,826	506,163	499,351
	UC	3	501,169	497,327	504,780	496,984	495,656	499,564	500,069	503,696	499,906
	DP-C	5	495,670	499,772	500,281	494,528	509,948	508,109	499,706	510,480	502,312
	DP-R	6	525,707	525,252	535,644	518,157	519,810	518,295	515,599	523,799	522,783
	Min. Cost		494,614	493,728	500,223	490,700	495,656	497,913	495,737	503,445	
	Algorithm No.		1	1	2	1	3,4	2	1	1	
BSBV	UD-C	1	645,485	635,153	643,375	514,789	648,747	644,444	635,398	639,379	625,846
	UC	3	645,485	637,789	640,776	639,029	647,523	640,566	635,398	637,643	640,526
	UR	4	644,216	636,798	640,412	640,258	648,787	640,566	637,574	637,603	640,777
	DP-C	5	644,640	639,369	639,685	637,639	649,485	643,420	636,590	637,982	641,101
	UB-C	2	645,485	634,390	643,131	638,603	647,360	644,927	637,343	638,544	641,223
	DP-R	6	681,297	675,691	678,342	677,859	682,719	675,701	667,430	673,064	676,513
	Min. Cost		644,216	634,390	639,685	514,789	647,360	640,566	635,398	637,603	
	Algorithm No.		4	2	5	1	2	3,4	1,3	4	

Table A2D: Fifteen Department Ten Period Evaluation Problems

Shift/Flo w	Algorithm		Problem								Avg.
	Name	No.	1	2	3	4	5	6	7	8	
Base Case	UD-C	1	991,101	985,752	994,996	978,829	990,384	982,144	994,698	987,137	988,130
	UR	4	995,073	982,740	993,991	987,586	989,454	977,271	989,712	996,565	989,049
	UC	3	995,073	984,565	994,621	986,224	991,073	983,640	994,181	992,157	990,192
	UB-C	2	993,034	994,017	998,265	982,874	990,619	978,447	996,597	991,491	990,668
	DP-R	6	1,050,587	1,033,469	1,060,608	1,046,298	1,044,607	1,040,440	1,065,953	1,055,476	1,049,680
	DP-C	5	1,045,545	1,033,935	1,053,544	1,073,976	1,073,415	1,065,910	1,055,214	1,051,197	1,056,592
	Min. Cost		991,101	982,740	993,991	978,829	989,454	977,271	989,712	987,137	
	Algorithm No.		1	4	4	1	4	4	4	1	
HSHV	UD-C	1	1,323,917	1,311,805	1,321,186	1,303,877	1,323,908	1,302,294	1,313,756	1,311,843	1,314,073
	UC	3	1,328,798	1,311,805	1,322,135	1,312,268	1,321,217	1,311,006	1,312,288	1,300,230	1,314,968
	UR	4	1,328,798	1,313,877	1,322,135	1,312,991	1,323,320	1,306,983	1,315,818	1,302,967	1,315,861
	UB-C	2	1,325,698	1,311,805	1,322,313	1,316,381	1,331,673	1,311,832	1,314,428	1,303,480	1,317,201
	DP-R	6	1,421,378	1,385,382	1,420,984	1,400,120	1,403,224	1,398,292	1,422,768	1,392,180	1,405,541
	DP-C	5	1,401,972	1,383,905	1,416,387	1,449,902	1,451,643	1,445,389	1,408,875	1,389,540	1,418,452
	Min. Cost		1,323,917	1,311,805	1,321,186	1,303,877	1,321,217	1,302,294	1,312,288	1,300,230	
	Algorithm No.		1	1,3	1	1	3	1	3	3	
HSBV	UD-C	1	1,012,620	1,006,284	1,009,941	989,351	1,001,816	1,001,022	1,007,023	1,008,295	1,004,544
	UB-C	2	1,016,477	1,000,934	1,019,598	989,200	1,010,375	995,428	1,021,147	1,008,295	1,007,682
	UC	3	1,019,338	1,001,699	1,014,970	996,663	1,005,455	1,007,608	1,015,606	1,008,875	1,008,777
	UR	4	1,019,421	1,001,699	1,016,789	1,003,015	1,015,762	1,007,014	1,010,542	1,008,814	1,010,382
	DP-R	6	1,071,235	1,044,526	1,075,312	1,057,140	1,055,023	1,052,276	1,078,096	1,065,048	1,062,332
	DP-C	5	1,060,339	1,035,554	1,060,380	1,079,340	1,076,664	1,075,607	1,055,896	1,055,678	1,062,432
	Min. Cost		1,012,620	1,000,934	1,009,941	989,200	1,001,816	995,428	1,007,023	1,008,295	
	Algorithm No.		1	2	1	2	1	2	1	1,2	
BSBV	UR	4	1,298,936	1,292,418	1,299,763	1,292,952	1,294,653	1,288,595	1,287,935	1,280,891	1,292,018
	UC	3	1,298,936	1,295,402	1,300,904	1,296,009	1,295,593	1,283,858	1,289,219	1,280,882	1,292,600
	UD-C	1	1,298,383	1,293,299	1,301,225	1,293,050	1,297,321	1,289,497	1,288,683	1,284,312	1,293,221
	UB-C	2	1,298,138	1,300,638	1,300,199	1,290,058	1,295,593	1,291,386	1,290,314	1,286,096	1,294,053
	DP-R	6	1,404,051	1,366,460	1,403,047	1,387,337	1,387,153	1,384,198	1,400,776	1,379,060	1,389,010
	DP-C	5	1,382,885	1,379,559	1,396,183	1,424,141	1,439,189	1,436,635	1,401,161	1,379,307	1,404,883
	Min. Cost		1,298,138	1,292,418	1,299,763	1,290,058	1,294,653	1,283,858	1,287,935	1,280,882	
	Algorithm No.		2	4	4	2	4	3	4	3	

Table A2E: Thirty Department Five Period Evaluation Problems

Shift/Flo w	Algorithm		Problem								Avg.
	Name	No.	1	2	3	4	5	6	7	8	
Base Case	UD-C	1	589697	575180	580949	575505	557209	568195	578026	573853	574,827
	UB-C	2	580821	573470	589686	575466	565094	567948	577812	579695	576,249
	UC	3	580411	577668	583682	573777	564879	579186	577323	577920	576,856
	UR	4	582388	577670	580263	576130	563572	575174	579275	585877	577,544
	DP-C	5	594590	585349	595911	581321	568590	574727	585204	581241	583,367
	DP-R	6	611794	611873	611664	611766	603327	618299	613130	618900	612,594
	Min. Cost		580,411	573,470	580,263	573,777	557,209	567,948	577,323	573,853	
	Algorithm No.		3	2	4	3	1	2	3	1	
HSHV	UB-C	2	766397	769780	790096	775628	750337	764426	765541	765855	768,508
	UD-C	1	768850	779218	797275	769321	746767	764822	764804	760148	768,901
	UR	4	770962	772574	776970	771801	754623	767699	768171	775917	769,840
	UC	3	773613	784488	797219	767072	759378	765734	765531	768029	772,633
	DP-C	5	793357	782478	797174	782394	764449	765847	777766	768195	778,958
	DP-R	6	819285	822387	821384	830385	819733	830056	818908	846757	826,112
	Min. Cost		766,397	769,780	776,970	767,072	746,767	764,426	764,804	760,148	
	Algorithm No.		2	2	4	3	1	2	1	1	
HSBV	UD-C	1	580023	576396	590460	581346	562370	579324	587917	584798	580,329
	UR	4	582862	578945	597129	584511	567454	571644	591766	590146	583,057
	UB-C	2	586719	580064	586081	586717	566853	579324	587917	593238	583,364
	UC	3	582715	583369	604917	587046	567944	571444	589556	587557	584,319
	DP-C	5	597997	591474	629428	593658	587989	583824	597517	591077	596,621
	DP-R	6	611794	611873	611664	611766	603327	627443	624153	620716	615,342
	Min. Cost		580,023	576,396	586,081	581,346	562,370	571,444	587,917	584,798	
	Algorithm No.		1	1	2	1	1	3	1,2	1	
BSBV	UB-C	2	757535	759207	767428	755859	744194	747287	749475	748975	753,745
	UD-C	1	766489	757242	764600	752440	743351	749212	753004	748603	754,368
	UC	3	766489	755414	755194	755613	747082	747287	756623	751476	754,397
	DP-C	5	774255	769838	784766	762418	754322	758465	766293	757800	766,020
	UR	4	770962	772574	776970	771801	754623	767699	768171	775917	769,840
	DP-R	6	819285	819206	817244	819550	811166	814874	807487	812026	815,105
	Min. Cost		757,535	755,414	755,194	752,440	743,351	747,287	749,475	748,603	
	Algorithm No.		2	3	3	1	1	2	2	1	

Table A2F: Thirty Department Ten Period Evaluation Problems

Shift/Floor	Algorithm	No.	Problem								Avg.
			1	2	3	4	5	6	7	8	
Base Case	UD-C	1	1,172,176	1,176,480	1,181,465	1,163,716	1,134,150	1,148,392	1,142,343	1,171,229	1,161,244
	UB-C	2	1,173,532	1,178,028	1,173,226	1,154,385	1,135,241	1,148,151	1,154,225	1,175,290	1,161,510
	UC	3	1,173,806	1,176,799	1,177,784	1,157,447	1,143,936	1,149,772	1,152,259	1,180,109	1,163,989
	UR	4	1,173,320	1,180,797	1,179,304	1,160,949	1,146,776	1,149,786	1,151,883	1,180,386	1,165,400
	DP-C	5	1,204,527	1,213,169	1,214,429	1,196,294	1,240,954	1,245,926	1,252,934	1,202,189	1,221,303
	DP-R	6	1,232,491	1,241,004	1,252,664	1,234,835	1,219,226	1,241,387	1,232,159	1,248,151	1,237,740
	Min. Cost		1,172,176	1,176,480	1,173,226	1,154,385	1,134,150	1,148,151	1,142,343	1,171,229	
HSHV	Algorithm No.		1	1	2	2	1	2	1	1	
	UD-C	1	1,564,553	1,571,480	1,565,790	1,552,465	1,524,961	1,526,076	1,502,359	1,549,491	1,544,647
	UR	4	1,569,897	1,575,091	1,571,121	1,549,811	1,526,027	1,530,367	1,513,637	1,556,805	1,549,095
	UB-C	2	1,567,300	1,570,126	1,567,192	1,563,635	1,530,966	1,530,789	1,516,193	1,558,918	1,550,640
	UC	3	1,566,465	1,578,141	1,569,169	1,554,269	1,524,159	1,537,360	1,521,619	1,555,690	1,550,859
	DP-C	5	1,613,554	1,628,458	1,629,390	1,607,855	1,687,150	1,689,240	1,665,376	1,599,667	1,640,086
	DP-R	6	1,655,635	1,672,950	1,684,886	1,674,534	1,651,138	1,665,468	1,622,648	1,665,182	1,661,555
HSBV	Min. Cost		1,564,553	1,570,126	1,565,790	1,549,811	1,524,159	1,526,076	1,502,359	1,549,491	
	Algorithm No.		1	2	1	4	3	1	1	1	
	UD-C	1	1,172,635	1,180,799	1,192,000	1,182,447	1,141,549	1,165,042	1,151,877	1,195,573	1,172,740
	UB-C	2	1,174,378	1,179,474	1,190,506	1,176,251	1,145,988	1,162,794	1,170,050	1,194,704	1,174,268
	UC	3	1,174,378	1,183,305	1,187,478	1,182,438	1,166,706	1,164,155	1,160,314	1,199,740	1,177,314
	UR	4	1,175,489	1,188,681	1,196,772	1,180,458	1,170,609	1,166,557	1,176,441	1,198,638	1,181,706
	DP-C	5	1,208,196	1,227,881	1,217,655	1,222,005	1,245,308	1,245,926	1,252,934	1,220,752	1,230,082
BSBV	DP-R	6	1,232,491	1,241,004	1,235,357	1,234,835	1,251,254	1,257,400	1,243,632	1,248,151	1,243,016
	Min. Cost		1,172,635	1,179,474	1,187,478	1,176,251	1,141,549	1,162,794	1,151,877	1,194,704	
	Algorithm No.		1	2	3	2	1	2	1	2	
	UD-C	1	1,535,567	1,539,216	1,526,002	1,521,195	1,495,526	1,504,992	1,490,419	1,528,071	1,517,624
	UR	4	1,533,600	1,543,326	1,523,366	1,517,912	1,505,702	1,511,013	1,501,341	1,523,283	1,519,943
	UC	3	1,535,567	1,539,216	1,526,002	1,519,973	1,505,933	1,511,933	1,500,326	1,523,922	1,520,359
	UB-C	2	1,537,123	1,539,191	1,535,536	1,519,841	1,509,286	1,510,938	1,506,131	1,521,955	1,522,500
BSBV	DP-C	5	1,603,908	1,607,560	1,595,263	1,577,366	1,677,993	1,678,308	1,665,376	1,568,025	1,621,725
	DP-R	6	1,655,635	1,677,676	1,674,926	1,668,707	1,640,873	1,644,178	1,611,625	1,659,401	1,654,128
	Min. Cost		1,533,600	1,539,191	1,523,366	1,517,912	1,495,526	1,504,992	1,490,419	1,521,955	
	Algorithm No.		4	2	4	4	1	1	1	2	

APPENDIX 3: Ten Period Planning Horizon Rolling Problems

Shift/Flow	Algorithm		Problem								Avg.
	Name	No.	1	2	3	4	5	6	7	8	
Base Case	U	1	107,352	105,732	105,469	106,583	106,735	103,654	105,706	104,365	105,700
	DP	2	107,352	105,107	104,529	107,055	106,673	106,020	106,447	104,185	105,921
	U(D)	3	107,352	106,784	104,529	106,885	106,929	104,053	106,447	104,185	105,896
	U(B)	4	107,352	105,723	105,469	106,583	106,624	103,654	105,801	103,951	105,645
	Min. Cost		107,352	105,107	104,529	106,583	106,624	103,654	105,706	103,951	
	Algorithm No.		all	2	2,3	1,4	4	1,4	1	4	
HSHV	U	1	137,732	137,820	137,213	139,012	138,097	134,136	140,433	135,203	137,456
	DP	2	137,950	136,883	137,051	138,987	137,795	137,358	142,557	134,933	137,939
	U(D)	3	137,959	138,046	136,022	138,644	137,795	134,114	141,466	134,933	137,372
	U(B)	4	137,732	137,820	135,959	139,012	137,773	134,136	139,781	135,203	137,177
	Min. Cost		137,732	136,883	135,959	138,644	137,773	134,114	139,781	134,933	
	Algorithm No.		1,4	2	4	3	4	3	4	2,3	
HSBV	U	1	106,419	105,731	105,760	109,225	108,669	105,749	108,952	106,064	107,071
	DP	2	108,261	107,147	105,561	108,219	108,195	108,231	111,167	105,794	107,822
	U(D)	3	108,261	107,042	105,561	107,823	108,195	108,675	109,047	105,794	107,550
	U(B)	4	106,419	109,369	105,760	109,225	108,171	105,749	108,952	106,064	107,464
	Min. Cost		106,419	107,042	105,561	107,823	108,171	105,749	108,952	105,794	
	Algorithm No.		1,4	3	2,3	3	4	1,4	1,4	1,4	
BSHV	U	1	137,548	134,639	135,125	137,772	135,182	132,041	140,810	137,745	136,358
	DP	2	136,636	134,926	135,317	137,389	135,992	134,766	139,018	134,059	136,013
	U(D)	3	137,627	135,112	134,176	136,593	135,350	132,372	139,022	134,059	135,539
	U(B)	4	137,548	134,639	135,125	138,348	135,071	133,088	138,277	134,239	135,792
	Min. Cost		136,636	134,639	134,176	136,593	135,071	132,041	138,277	134,059	
	Algorithm No.		2	1,4	3	3	4	1	4	2,3	

Table A3A: Six Department (in order of average cost for eight problems)

Shift/Flow Algorithm			Problem								Avg.
Name	No.		1	2	3	4	5	6	7	8	
Base	UD-C	1	488,532	487,355	490,901	485,467	494,534	499,371	490,034	495,692	491,486
Case	UB-C	2	491,585	487,355	492,318	484,601	494,764	489,254	494,963	498,083	491,615
	UC	3	488,608	487,355	492,015	489,161	494,289	490,800	492,983	496,484	491,462
	UR	4	485,368	486,553	492,015	493,858	495,629	494,798	494,396	496,011	492,329
	DP-C	5	496,071	505,833	499,286	517,326	513,155	514,948	517,237	521,539	510,674
	DP-R	6	520,226	511,338	527,449	526,376	518,528	526,284	523,148	525,153	522,313
	Min. Cost		485,368	486,553	490,901	484,601	494,289	489,254	490,034	495,692	
	Algorithm No.		4	1,2,3	1	2	3	2	1	1	
HSHV	UD-C	1	659,781	643,039	653,307	647,348	656,461	652,194	654,646	642,844	651,203
	UB-C	2	661,059	645,921	652,279	642,206	657,156	655,156	649,314	643,431	650,815
	UC	3	659,908	644,077	653,569	657,508	656,337	655,219	650,673	643,431	652,590
	UR	4	665,325	645,483	654,569	651,218	657,033	666,110	651,985	643,431	654,394
	DP-C	5	672,692	671,095	659,651	690,751	691,947	689,115	681,446	682,187	679,861
	DP-R	6	709,839	680,671	696,329	702,209	693,371	703,535	693,316	687,339	695,826
	Min. Cost		659,781	643,039	652,279	642,206	656,337	652,194	649,314	642,844	
	Algorithm No.		1	1	2	2	3	1	2	1	
HSBV	UD-C	1	494,113	493,728	495,040	490,700	502,458	509,662	496,963	505,019	498,460
	UB-C	2	496,454	496,478	501,089	489,299	502,418	504,823	498,053	502,774	498,924
	UC	3	503,110	499,342	502,647	495,750	495,656	497,569	496,826	503,209	499,264
	UR	4	496,343	498,286	502,647	498,450	499,881	501,814	496,826	504,397	499,831
	DP-C	5	500,511	506,110	504,367	514,684	514,671	514,948	515,774	521,793	511,607
	DP-R	6	525,595	525,252	532,181	523,532	524,101	532,250	527,144	534,900	528,119
	Min. Cost		494,113	493,728	495,040	489,299	495,656	497,569	496,826	502,774	
	Algorithm No.		1	1	1	2	3	3	3,4	2	
BSHV	UD-C	1	644,216	638,183	641,147	640,811	648,031	650,175	642,602	636,485	642,706
	UB-C	2	644,216	638,183	643,698	636,688	647,064	644,083	634,963	639,278	641,022
	UC	3	644,216	638,183	644,305	641,609	648,474	645,837	642,602	639,389	643,077
	UR	4	644,216	639,696	643,729	638,625	644,434	641,830	638,285	636,045	640,858
	DP-C	5	668,252	668,239	652,269	678,146	681,116	689,158	677,687	678,939	674,226
	DP-R	6	702,908	676,664	690,350	696,862	686,294	684,699	689,320	682,342	688,680
	Min. Cost		644,216	638,183	641,147	636,688	644,434	641,830	634,963	636,045	
	Algorithm No.		1,2,3,4	1,2,3	1	2	4	4	2	4	

Table A3B: Fifteen Department

Shift/Flow Algorithm			Problem								Avg.
Name	No.		1	2	3	4	5	6	7	8	
Base	UD-C	1	580,601	575,180	595,673	573,745	557,313	576,265	576,376	576,530	576,460
Case	UB-C	2	582,703	575,256	577,892	574,996	566,749	576,269	578,397	580,211	576,559
	UC	3	580,601	577,668	593,057	573,777	563,802	573,890	578,621	582,826	578,030
	UR	4	579,694	589,917	588,174	573,777	562,085	579,459	580,280	579,179	579,071
	DP-C	5	594,590	589,706	606,233	581,859	588,890	588,446	580,962	583,961	589,331
	DP-R	6	612,598	614,295	618,802	614,530	610,364	617,482	620,201	621,966	616,280
	Min. Cost		579,694	575,180	577,892	573,745	557,313	573,890	576,376	576,530	
	Algorithm No.		4	1	2	1	1	3	1	1	
HSHV	UD-C	1	770,448	769,202	774,586	769,321	746,767	760,704	767,734	757,697	764,557
	UB-C	2	772,049	763,916	769,839	769,321	760,222	773,513	767,734	763,482	767,510
	UC	3	773,745	770,959	770,599	769,321	758,503	765,255	771,327	761,716	767,678
	UR	4	773,309	775,766	788,357	776,401	759,948	767,699	769,550	770,151	772,648
	DP-C	5	793,357	784,472	812,879	782,272	797,249	789,221	770,581	771,826	787,732
	DP-R	6	819,285	826,735	830,724	836,017	830,349	830,056	829,456	825,750	828,547
	Min. Cost		770,448	763,916	769,839	769,321	746,767	760,704	767,734	757,697	
HSBV	Algorithm No.		1	2	2	1,2,3	1	1	1,2	1	
	UD-C	1	582,266	583,412	594,410	582,473	563,869	574,240	583,783	584,798	581,156
	UB-C	2	585,061	585,767	590,582	583,427	576,032	574,098	583,783	595,427	584,272
	UC	3	582,266	583,412	594,410	585,779	575,321	575,134	583,783	593,509	584,202
	UR	4	580,115	588,378	601,854	585,345	565,821	572,070	589,111	591,253	584,243
	DP-C	5	597,997	591,474	617,689	597,797	588,890	588,446	580,962	594,302	594,695
	DP-R	6	612,598	614,295	618,802	614,530	610,364	627,443	631,224	621,966	618,903
BSHV	Min. Cost		580,115	583,412	590,582	583,427	565,821	572,070	580,962	591,253	
	Algorithm No.		4	1,3	2	2	4	4	1,2	4	
	UD-C	1	760,512	755,150	759,827	752,416	740,443	751,919	755,772	750,700	753,342
	UB-C	2	760,429	761,013	756,012	753,077	746,317	749,603	754,115	754,712	754,410
	UC	3	760,512	756,430	762,433	759,228	747,064	751,174	758,773	751,951	755,946
	UR	4	759,187	757,047	756,979	756,725	749,016	753,968	759,032	751,852	755,476
	DP-C	5	783,299	772,624	789,179	762,570	797,249	789,221	770,581	760,992	778,214
BSHV	DP-R	6	819,285	826,735	839,006	843,701	832,939	820,095	818,433	819,813	827,501
	Min. Cost		759,187	755,150	756,012	752,416	740,443	749,603	754,115	750,700	
	Algorithm No.		4	1	2	1	1	2	2	1	

Table A3C: Thirty Department