



University of Calgary

PRISM: University of Calgary's Digital Repository

Graduate Studies

Legacy Theses

1983

A Study of the mineralogy and petrology of the Ice River complex, Yoho National Park

Peterson, Tony D.

Peterson, T. D. (1983). A Study of the mineralogy and petrology of the Ice River complex, Yoho National Park (Unpublished master's thesis). University of Calgary, Calgary, AB.

doi:10.11575/PRISM/12926

<http://hdl.handle.net/1880/47236>

master thesis

University of Calgary graduate students retain copyright ownership and moral rights for their thesis. You may use this material in any way that is permitted by the Copyright Act or through licensing that has been assigned to the document. For uses that are not allowable under copyright legislation or licensing, you are required to seek permission.

Downloaded from PRISM: <https://prism.ucalgary.ca>

Table 1

Sample List

81-IR-4.....	Sedimentary inclusion in syenite
81-IR-5.....	Amphibole jacupirangite inclusion in nepheline syenite
81-IR-6.....	Biotite melteigite
81-IR-8.....	Biotite ijolite
81-IR-9.....	Urtite
81-IR-12.....	Amphibole foyaite
81-IR-13A,B.....	Nepheline syenite
81-IR-13C.....	Sodalite-fluorite syenite
81-IR-15.....	Natrolite-aegirine contact rock
81-IR-16.....	Amphibole melteigite
82-IR-2.....	Cancrinite vien in ultramafic regolith
82-IR-5.....	Amphibole foyaite
82-IR-6.....	Nepheline syenite dike with rinkite and diopside inclusions
82-IR-8.....	Amphibole foyaite
82-IR-10.....	Lamprophyre dike
82-IR-11.....	Syenite breccia
82-IR-12.....	Foyaite with ijolite inclusions
82-IR-13.....	Syenite dike with rinkite
82-IR-14.....	Lamprophyre dike
82-IR-15.....	Isotropic ijolite
82-IR-16.....	Biotite ijolite
82-IR-17.....	Homogeneous ijolite

Table 1 continued

82-IR-18,19,20.....	Pegmatitic ijolite
82-IR-21,22,23,24.....	Homogeneous ijolite
82-IR-25.....	Urtite pod
82-IR-26.....	Sphene and feldspar bearing ijolite
82-MC-1A.....	Feldspar pegmatite contact rock beneath jacupirangite
82-MC-1B,C.....	Jacupirangite breccia in syenite
82-MC-2A.....	Amphibole foyaite
82-MC-2B.....	Fine grained syenite dike
82-MC-3.....	Sphene and feldspar bearing ijolite
82-MC-4.....	Syenite breccia
82-MC-5.....	Sodalite-aegirine syenite
83-IR-2A,B.....	Natrolite-aegirine layer in biotite ijolite
83-IR-3.....	Silicocarbonatite dike
83-IR-4.....	Calcite segregation in silicocarbonatite
83-IR-5.....	Silicocarbonatite with abundant perovskite
83-IR-6.....	Syenite with albite-calcite carbonatite
83-IR-7.....	Ocellar amphibole jacupirangite
83-IR-13.....	Natrolite-aegirine segregation
83-IR-15.....	Buff weathering carbonatite
83-IR-16.....	Red weathering carbonatite
83-IR-17.....	Urtite pegmatite with radiating apatite

Table 2

Magnetite Analyses

	81-IR-6 core	81-IR-6 edge	82-MC-1C	82-IR-23
SiO ₂	0.00	0.00	0.00	0.00
TiO ₂	16.43	9.02	13.54	16.59
Al ₂ O ₃	1.70	0.80	1.56	0.11
FeO	76.09	83.82	77.76	77.04
MnO	1.35	0.65	1.22	1.77
MgO	0.11	0.06	0.36	0.16
CaO	0.01	0.14	0.01	0.01
Na ₂ O	0.00	0.00	0.00	0.00
SUM	95.68	94.49	94.44	95.68

All Fe reported as FeO.

Table 3

Magnetite Analyses
Corrected for Fe_2O_3

	81-IR-6 core	81-IR-6 edge	82-MC-1C	82-IR-23
SiO_2	0.00	0.00	0.00	0.00
TiO_2	16.43	9.02	13.54	16.59
Al_2O_3	1.70	0.80	1.56	0.11
Fe_2O_3	34.75	50.35	40.14	36.46
FeO	44.82	38.50	41.63	44.23
MnO	1.35	0.65	1.22	1.77
MgO	0.11	0.06	0.36	0.16
CaO	0.01	0.14	0.01	0.01
Na_2O	0.00	0.00	0.00	0.00
SUM	99.15	99.52	98.45	99.32
Fe_3O_4	0.495	0.723	0.358	0.442
Fe_2TiO_4	0.443	0.244	0.576	0.522
SUM	0.938	0.967	0.934	0.964

Table 4

Perovskite Analyses

	81-IR-6	82-IR-23	82-MC-1C
SiO ₂	0.00	0.00	0.00
TiO ₂	58.24	52.83	56.57
Al ₂ O ₃	0.29	0.13	0.19
FeO	1.27	1.31	0.56
MnO	0.09	0.07	0.05
MgO	0.02	0.03	0.02
CaO	33.46	34.01	35.46
Na ₂ O	0.85	1.02	0.18
SUM	94.22	89.40	93.33

All Fe reported as FeO.

Table 4 continued

Perovskite Analyses

	82-IR-18 Opaque var. core	82-IR-18 Opaque var. edge	82-IR-18 Translucent var.
SiO ₂	0.00	0.00	0.00
TiO ₂	53.74	56.45	56.01
Al ₂ O ₃	0.24	0.10	0.14
FeO	1.22	0.97	1.07
MnO	0.06	0.05	0.06
CaO	33.04	35.00	34.93
Na ₂ O	0.72	0.45	0.42
SUM	89.05	93.04	92.66

All Fe reported as FeO.

Table 5

Garnet Analyses

	81-IR-6 Andradite in pectolite vug	81-IR-6 Grossular with melanite	81-IR-6 Melanite with grossular	81-IR-13 Andradite- Almandine- Grossular sol'n
SiO ₂	37.85	39.08	37.62	38.19
TiO ₂	1.25	0.98	3.82	1.30
Al ₂ O ₃	6.88	16.80	12.78	9.53
FeO	19.27	7.28	9.15	33.22
MnO	0.27	0.28	0.18	1.31
MgO	0.03	0.05	0.73	0.37
CaO	33.91	35.76	35.06	9.35
Na ₂ O	0.00	0.00	0.00	2.94
SUM	99.46	100.23	99.34	96.21

All Fe reported as FeO.

Table 5 continued

Garnet Analyses

	81-IR-6 Melanite	82-IR-17 Schorlomite	82-IR-21 Schorlomite
SiO ₂	36.19	27.59	29.15
TiO ₂	6.27	18.54	16.97
Al ₂ O ₃	9.72	1.31	1.28
FeO	12.43	18.24	19.09
MnO	0.21	0.41	0.42
MgO	0.85	0.89	0.64
CaO	33.97	31.73	30.61
Na ₂ O	0.00	0.18	0.15
SUM	99.58	98.89	98.31

All Fe reported as FeO.

Table 6

Melanite and Schorlomite Structural Formulae

	<u>Cations normalized to eight</u>		
	<u>81-IR-6</u>	<u>82-IR-17</u>	<u>82-IR-23</u>
Si	2.95	2.43	2.45
Ti	0.27	1.09	0.99
Al	0.34	0.07	0.04
Fe	1.42	1.37	1.41
Mn	0.01	0.04	0.03
Mg	0.01	0.11	0.07
Ca	3.00	2.80	2.98
Na	0.00	0.02	0.02

Site distributions (following page) are patterned after those determined by Huggins et al (1981).

Table 6 continued

Melanite and Schorlomite Structural Formulae

	<u>81-IR-6</u>	<u>82-IR-17</u>	<u>82-IR-23</u>
Tetrahedral cations			
Si	2.95	2.43	2.45
Fe ³⁺	0.05	0.21	0.13
Fe ²⁺	0.00	0.12	0.08
Al + Ti	0.00	0.22	0.34
Octahedral cations			
Fe ³⁺	1.20	0.87	1.15
Al + Ti	0.61	0.94	0.69
Fe ²⁺	0.18	0.19	0.08
Mg	0.01	0.00	0.01
Ca	0.00	0.00	0.00
Dodecahedral cations			
Mg	0.00	0.11	0.00
Fe ²⁺	0.00	0.03	0.00
Mn	0.00	0.04	0.02
Ca	3.00	2.80	2.98
Na	0.00	0.02	0.00

Table 7

Biotite Analyses

	81-IR-6	82-IR-21
SiO ₂	34.58	36.58
TiO ₂	2.65	1.95
Al ₂ O ₃	15.54	12.61
FeO	14.99	23.08
MgO	15.72	11.66
CaO	0.00	0.14
Na ₂ O	0.28	0.26
K ₂ O	8.92	8.72
SUM	92.68	94.50

All Fe reported as FeO.

Table 8

Pyroxene Analyses

	81-IR-6 core	81-IR-6 edge	81-IR-6 Diopside with melanite	82-IR-17
SiO ₂	45.75	47.68	53.15	51.20
TiO ₂	3.34	1.91	0.24	1.46
Al ₂ O ₃	6.98	4.82	1.36	2.60
FeO	8.20	8.67	3.62	8.73
MnO	0.19	0.19	0.18	0.27
MgO	11.22	11.71	16.23	12.05
CaO	23.84	23.95	25.10	24.69
Na ₂ O	0.51	0.47	0.13	0.59
SUM	100.02	99.40	100.01	101.59

All Fe reported as FeO.

Table 8 continued

Pyroxene Analyses

	82-IR-18 core	82-IR-18 edge	82-IR-23 core	82-IR-23 edge
SiO ₂	47.01	48.73	50.21	50.80
TiO ₂	2.66	1.70	0.64	0.42
Al ₂ O ₃	5.69	3.87	1.11	0.80
FeO	8.55	9.25	14.31	15.50
MnO	0.22	0.33	0.50	0.60
MgO	11.75	11.53	9.05	8.17
CaO	24.05	24.12	23.18	22.93
Na ₂ O	0.57	0.54	0.81	0.81
SUM	100.49	100.07	99.80	99.98

All Fe reported as FeO.

Table 8 continued

Pyroxene Analyses

	82-MC-1C	82-MC-1C containing exsolved ilmenite	82-MC-3	81-IR-16
SiO ₂	41.57	42.12	47.75	45.54
TiO ₂	4.50	4.99	1.34	2.73
Al ₂ O ₃	9.72	8.94	3.35	6.09
FeO	9.35	9.06	15.22	10.56
MnO	0.25	0.31	0.59	0.30
MgO	9.94	10.79	7.69	9.95
CaO	23.23	22.49	21.82	22.68
Na ₂ O	0.46	0.43	1.25	0.98
SUM	99.02	99.13	99.01	98.83

All Fe reported as FeO.

Table 8 continued

Pyroxene Analyses

	81-IR-5	81-IR-13A	83-IR-3 Aegirine in calcite
SiO ₂	45.98	48.20	53.94
TiO ₂	1.67	0.48	0.07
Al ₂ O ₃	5.69	1.48	2.90
FeO	15.98	26.55	27.25
MnO	0.10	1.70	0.04
MgO	6.82	0.54	0.02
CaO	22.10	18.64	0.45
Na ₂ O	0.98	2.20	12.78
SUM	99.21	99.79	97.43

All Fe reported as FeO.

Table 9

Pyroxene Formulae

Cations normalized to four

	81-IR-6 core	81-IR-6 edge	81-IR-6 Diopside with melanite	82-IR-17
Si	1.71	1.80	1.94	1.89
Ti	0.09	0.05	0.01	0.04
Al	0.31	0.21	0.06	0.11
Fe ³⁺	0.04	0.04	0.02	0.02
Fe ²⁺	0.22	0.23	0.09	0.25
Mn	0.01	0.01	0.01	0.01
Mg	0.63	0.66	0.88	0.66
Ca	0.96	0.97	0.98	0.98
Na	0.04	0.03	0.01	0.04

En	0.08	0.07	0.04	0.00
Di	0.52	0.56	0.82	0.66
He	0.21	0.22	0.09	0.24
Ac	0.04	0.03	0.01	0.02
CaTiAl ₂ O ₆	0.09	0.05	0.01	0.04

Table 9 continued

Pyroxene Formulae

Cations normalized to four

	82-IR-18 core	82-IR-18 edge	82-IR-23 core	82-IR-23 edge
Si	1.75	1.83	1.93	1.96
Ti	0.07	0.05	0.02	0.01
Al	0.25	0.17	0.05	0.04
Fe ³⁺	0.05	0.04	0.04	0.03
Fe ²⁺	0.22	0.25	0.42	0.47
Mn	0.01	0.01	0.02	0.02
Mg	0.65	0.64	0.52	0.47
Ca	0.96	0.97	0.95	0.95
Na	0.04	0.04	0.06	0.06

En	0.08	0.05	0.00	0.00
Di	0.54	0.58	0.51	0.46
He	0.21	0.24	0.42	0.47
Ac	0.04	0.04	0.02	0.02
CaTiAl ₂ O ₆	0.07	0.05	0.02	0.01

Table 9 continued

Pyroxene Formulae

Cations normalized to four

	82-MC-1C	82-MC-1C containing exsolved ilmenite	82-MC-3
Si	1.58	1.60	1.85
Ti	0.13	0.14	0.04
Al	0.44	0.40	0.15
Fe ³⁺	0.06	0.05	0.05
Fe ²⁺	0.24	0.24	0.44
Mn	0.01	0.01	0.02
Mg	0.56	0.61	0.44
Ca	0.95	0.92	0.91
Na	0.03	0.03	0.09

En	0.13	0.17	0.05
Di	0.39	0.38	0.38
He	0.22	0.22	0.42
Ac	0.03	0.03	0.05
CaTiAl ₂ O ₆	0.12	0.13	0.04

Table 10

Amphibole Analyses

	81-IR-16	81-IR-5 in syenite	81-IR-5 in jacupirangite inclusion
SiO ₂	37.40	37.14	37.39
TiO ₂	5.42	2.96	2.64
Al ₂ O ₃	12.46	13.07	13.02
FeO	17.04	22.50	21.69
MnO	0.30	0.25	0.32
MgO	8.63	5.77	6.55
CaO	11.52	11.14	11.20
Na ₂ O	2.19	2.02	1.95
SUM	96.96	94.85	94.76

All Fe reported as FeO.

Table 9 continued

Pyroxene Formulae

Cations normalized to four

	81-IR-16	81-IR-5
Si	1.72	1.77
Ti	0.09	0.06
Al	0.31	0.27
Fe ³⁺	0.04	0.05
Fe ²⁺	0.21	0.44
Mn	0.01	0.01
Mg	0.63	0.41
Ca	0.93	0.92
Na	0.06	0.07

En	0.09	0.10
Di	0.51	0.29
He	0.20	0.42
Ac	0.04	0.05
CaTiAl ₂ O ₆	0.09	0.05

Table 11

Nepheline Analyses

	81-IR-6	82-MC-1C	81-IR-5
SiO ₂	41.01	41.99	43.53
TiO ₂	0.00	0.01	0.00
Al ₂ O ₃	35.24	35.02	33.66
FeO	0.05	0.09	0.02
MgO	0.00	0.00	0.00
CaO	0.02	1.97	0.02
Na ₂ O	16.44	15.34	16.08
K ₂ O	7.21	5.55	6.64
SUM	99.97	99.95	99.93
NaAlSiO ₄	0.77	0.71	0.72
KAlSiO ₄	0.22	0.17	0.19
SiO ₂	0.00	0.12	0.09
Al ₂ O ₃	0.01	0.00	0.00

The stoichiometry of 82-MC-1C was corrected
for CaAl(AlO₄).

Table 12

Miscellaneous Analyses

	82-IR-6	81-IR-6	83-IR-3	83-IR-3
	Rinkite	Pectolite	Berthierine	Calcite
SiO ₂	33.52	53.57	26.15	0.00
TiO ₂	11.91	0.03	0.12	0.00
Al ₂ O ₃	0.16	0.37	13.70	0.00
FeO	0.31	0.17	38.82	0.74
MnO	0.13	0.11	0.59	2.30
MgO	0.05	0.00	7.53	0.02
CaO	39.05	33.35	0.16	50.03
Na ₂ O	6.60	9.42	0.00	0.00
SUM	91.72	97.02	87.07	53.09

Table 13

Densities of Selected Samples

Sample	Density (g/cm ³)
81-IR-12 Foyaite	2.93
81-IR-13A Nepheline syenite	2.61
82-IR-17 Ijolite	3.00
82-IR-19 Pegmatitic ijolite	2.97