



THE MATERIAL THEORY OF INDUCTION

by John D. Norton

ISBN 978-1-77385-254-6

THIS BOOK IS AN OPEN ACCESS E-BOOK. It is an electronic version of a book that can be purchased in physical form through any bookseller or on-line retailer, or from our distributors. Please support this open access publication by requesting that your university purchase a print copy of this book, or by purchasing a copy yourself. If you have any questions, please contact us at ucpress@ucalgary.ca

Cover Art: The artwork on the cover of this book is not open access and falls under traditional copyright provisions; it cannot be reproduced in any way without written permission of the artists and their agents. The cover can be displayed as a complete cover image for the purposes of publicizing this work, but the artwork cannot be extracted from the context of the cover of this specific work without breaching the artist's copyright.

COPYRIGHT NOTICE: This Open Access work is published under a CC-BY-NC-ND 4.0 Creative Commons licence, available freely to readers everywhere, at no cost to authors. This means that you are free to copy, distribute, display or perform the work as long as you clearly attribute the work to its authors and publisher, that you do not use this work for any commercial gain in any form, and that you in no way alter, transform, or build on the work outside of its use in normal academic scholarship without our express permission. If you want to reuse or distribute the work, you must inform its new audience of the licence terms of this work. For more information, see details of the Creative Commons licence at: <http://creativecommons.org/licenses/by-nc-nd/4.0/>

UNDER THE CREATIVE COMMONS LICENCE YOU MAY:

- read and store this document free of charge;
- distribute it for personal use free of charge;
- print sections of the work for personal use;
- read or perform parts of the work in a context where no financial transactions take place.

UNDER THE CREATIVE COMMONS LICENCE YOU MAY NOT:

- gain financially from the work in any way;
- sell the work or seek monies in relation to the distribution of the work;
- use the work in any commercial activity of any kind;
- profit a third party indirectly via use or distribution of the work;
- alter or build on the work outside of normal academic scholarship.

The cover can only be reproduced, distributed, and stored within its function as a cover for this work, and as a complete cover image for the purposes of publicizing this work.



Acknowledgement: *We acknowledge the wording around open access used by Australian publisher, **re.press**, and thank them for giving us permission to adapt their wording to our policy <http://www.re-press.org>*

Prolog

The Wonder of Science

Our best science tells us wonderful things. The cold and dark skies of our universe were not so long ago in their entirety in a state of unimaginably high energy and temperature. The detritus that exploded from it congealed into stars, planets, and galaxies. These systems of celestial masses are in turn held together by a curvature of the geometry of space and time itself. On a most minute scale, the matter of these systems and the light they radiate consist of neither waves nor particles but a curious amalgam that is, at once, both and neither. The organisms that walk on one of these planets, complete with their intricate eyes and thinking brains, emerged incrementally from crude matter, in tiny steps over eons. They were shaped only by the fact that a small, random change in one organism might give it a slight advantage over its rivals. The design specification of these accumulated advantages is recorded and transmitted through the generations of the organisms by its encoding in hundreds of millions of base pairs of a chemical found in every cell of each organism.

These, and many more ideas of science like them, are extraordinary. Their contemplation must eventually overwhelm with wonder even the most curious and flexible of minds. Only the dullest of wit or the most soured of skeptics could resist their charms.

For me, there is a still greater wonder. These ideas are not the inventions of writers of myth and fiction. They could not be so, for their content far outstrips our meager human imaginations. Rather they are the result of careful, painstaking, systematic investigations of nature, guided solely by inventive insight and cautious reasoning. They are discoveries. When

these efforts go past the early speculative stages and succeed, their products are distinguished by a special relation with what we experience of the world. These experiences provide the inductive support for successful science. They tell us that this is how the world is.

The explosive expansion of the universe is supported by the reddening of light from distant galaxies. That the curvature of the geometry of space and time keeps the planets in their orbits is supported by the most delicate measurements of slight anomalies in planetary motions. The curious quantum nature of matter in the small is supported by how light from excited gases is concentrated into just a few quite specific frequencies. The evolution of humans from simpler organisms is supported by fossilized bones, whose chronology is recorded by their positions in layers of rock strata. The double spiral geometry of the molecules of deoxyribonucleic acid is supported by the patterns formed when X-rays diffract off material extracted from the nuclei of cells.

In all this, the essential relation is inductive support. It obtains between the general propositions of science and those particular ones that express the evidence on which science rests. It enables us to assign an authority to the ideas of science that no other narrative can match. Without it, science becomes just another “way of knowing,” to use a popular oxymoron of the skeptics. Without this relation, we do not know anything of the world. We “know” but do not know. Without it, the ideas of science are no better than the fanciful creation stories of primitive mythologies.

Where the Philosophy of Science Literature Falls Short

If we are to understand how science succeeds where these other narratives fail, we must understand how this relation of inductive support works. This is a core task for philosophy of science. Its efforts reside in the expansive literature on induction or inductive inference. The project of this book results from an enduring dissatisfaction with this literature.

There is no shortage of approaches in this literature. However, what is distinctive about these approaches is that they are fractured. There are many of them. They rise and fall with the generations and even with the particular philosopher consulted. Each approach has its successes and each has its failures. None, it seems to me, is by itself fully adequate to the task.

Loosely speaking, there are two traditions.¹ One is qualitative and a few examples illustrate its pervasive problems. Evidence supports hypotheses that, in various senses, generalize the evidence, or deductively entail the evidence, or explain the evidence, or provide a severe test of the evidence. Each case is troubled. There are so many ways one item of evidence can be generalized that most generalizations cannot be supported. Most applications of the simple scheme must fail. Similarly, there are very many hypotheses that entail one item of evidence. The same problem arises. Most applications of this scheme will fail. The problem of proliferation is ameliorated if the hypothesis must not just entail the evidence but explain it. The meagerness of the gain is revealed when we realize that we have no general account of explanation precise enough to support a theory of inductive inference. The account rests ultimately on dubious intuitive judgments of what explains what and how well it does so. Severe testing requires a judgment that the evidence would likely not come about were the favored hypothesis false. To apply the scheme, we must know what is likely in the case of this falsity. Excepting contrived situations, like controlled studies, such judgments are at best speculative and at worst self-serving inventions.

The second tradition is quantitative. We assign a numerical measure to the support. The measure used almost universally is probability. The approach is appealing initially since we replace a vague “weakly supports” or “strongly supports” by precise numbers that must be combined by quite specific rules. Now we can calculate! My enthusiasm for this approach dampened when I found that its central theoretical tool, Bayes’ theorem, has a voracious appetite for prior probabilities and likelihoods. The trouble is that the value of these probabilities must be specified by considerations outside the calculation itself. Prudent or malicious choices of these values, more than the niceties of mathematical theorems, control the final result. Worse, as this Bayesian approach ascended to the dominance it presently enjoys in the philosophy of science, its analyses became more and more separated from real applications to inductive inference in the sciences. These analyses have drifted towards self-contained exercise in recreational

¹ This is a hasty dissection of an enormous literature. See Norton (2005) for a more careful dissection and categorization.

probability theory. This separation is disguised by tendentious labeling of terms. A calculation best adapted to the accumulated results of many coin tosses is represented as giving some sort of understanding of how the accumulation of intricate and diverse evidence in science can support a univocal result.

The situation has not been improved by a rash decision to conceive of the prior probabilities of Bayes' theorem subjectively—that is, as freely chosen opinions that can vary from person to person. For once one has let arbitrary opinion into the system, the probabilities cease to measure strengths of inductive support, but only some indissoluble amalgam of them with arbitrary opinion. These problems are not resolved but compounded by dubious analogies. We are told a fable of a punter at a racetrack making monetary bets with bookies who are determined to take every advantage possible. This epistemic situation is supposed to be sufficiently close to that of scientists weighing evidence for Big Bang cosmology or a neural basis for cognition that all should conform to the same principles of rationality.

The Material Approach

The upshot of these accumulated woes is that philosophy of science as a discipline cannot now offer those outside it a univocal account of inductive support. My goal in this book and in the larger program of research it embodies is to solve this problem. The clue to its solution is found in the observation that each of the accounts sketched above work somewhere. If we are investigating controlled trials, then ideas about severe testing are apt. If we are interested in matching DNA from blood samples with that of accused offenders, then we can use Bayesian methods. When Einstein found that his new general theory of relativity “explained” (as he put it) the anomalous motion of Mercury, he could claim a wonderful “confirmation” (as he wrote) of his theory.

The clue in all this is that the application of the various approaches works when we add factual conditions that limit the domain in which they are to be applied. The stronger the factual restriction, the more successful the application. The material approach simply asks us to “take the limit.” That is, what warrants the successful application of a particular inference

is found *entirely* in the background factual conditions that delimit the domain of application.

This last assertion is the key idea of the material theory. It distinguishes the material theory from all other approaches, which use the standard literature in deductive inference as the model for analyzing inductive inference. This provides them with a formal model. According to this model, the good inferences can be distinguished from the bad by checking whether the candidate inference fits in its form with some universal template or schema. For example, take the following inference:

All men are mortal.
Therefore, some men are mortal.

This is a valid, deductive inference since it is derived from the universally applicable schema that I will call *all-some*:

All *As* are *B*.
Therefore, some *As* are *B*.

We are allowed to make any substitution for *A* and *B*, and we are assured that what results will be a good inference in its form. The schema is universally applicable. Its use is not restricted, for example, to inferences about human mortality.

Since antiquity, philosophers have sought to recover similar schemas for inductive inference. The successes have always been partial. One of the earliest attempts was “enumerative induction”:

Some *As* are *B*.
Therefore, all *As* are *B*.

The trouble is all too clear. It will almost never work. With obvious substitutions, we might be happy to infer that

Some men are mortal.
Therefore, all men are mortal.

But we would be unhappy with almost every other variant of it, such as

Some men are Greeks.
Therefore, all men are Greeks.

All of the approaches sketched above lie within this formal tradition. If we just focus on simple examples like these, it becomes quite apparent that they fail to have universal scope.

The *all-some* schema does have universal scope since it is fully self-contained. Its cogency derives completely from the meanings of the words “all” and “some.” If someone doubts the cogency of the inferences it authorizes, we would gently inquire of them whether they understood the meaning of the words.

In contrast, enumerative induction is not self-contained. It can work, but only when we restrict the substitutions for *A* and *B* to terms hospitable to the induction. When *A* is “men,” successful substitutions for *B* include biological properties like “are mortal,” “are borne of a mother,” “have a blood circulation system,” and so on. That is, if we restrict the domain in which the schema is applied, it can warrant good inferences. However, its success is entirely dependent on the restriction. The facts comprising the restriction are the ultimate source of its warrant. They are biological facts about living beings. The inference is warranted, in the last analysis, because that is the way living beings are biologically. If some members of a species have a blood circulation system, then likely all do. The corresponding regularity does not hold for national identification.

Further, the inference is a good inference only in so far as the warranting facts are true. If science advances to the extent that we can create people entirely in a test tube from synthetic DNA without the need for a gestating mother, some of these facts would cease to be true, and one of the inferences would become an inductive fallacy.

It is easy to see how these conclusions about inductive inference generalize. All inductive inferences lead to conclusions that go beyond what is necessitated logically by their premises. It follows that they are only good so long as the inferences are carried out in domains that are factually hospitable to the inferences. The facts that make the domain hospitable are the facts that warrant the inference. Here it is helpful to remember that a commonplace of deductive inference is that propositions can both state factual matters and also serve as warrants for deductive inference. The

proposition “If A then B ” is both a factual proposition and also a warrant that authorizes a deductive inference from A to B . The material theory asserts that, ultimately, this dual role for factual propositions is the only way that inductive inferences are warranted.

This applies even to Bayesian analysis inasmuch as it has any ambitions of providing an account of inductive inference. It is true that the manipulations of Bayes’ theorem itself are deductive inferences lying within the probability calculus. We deduce a value near unity for the probability of Newton’s universal law of gravitation, conditioned on the motion of the sun’s planets and their moons. An essential background fact is that these deductions are implemented in a domain in which distributions of inductive support are properly represented by probabilities. In the second half of this book, we shall explore domains in which this presumption fails.

These last considerations constitute the core of the material approach to inductive inference. It provides a single, unified approach that incorporates all the different approaches in the present literature; or at least it incorporates them all in so far as they are sufficiently and precisely defined to be viable in some domain.

The core ideas of the material theory can be encapsulated in a few slogans. First, “All induction is local.” This slogan reminds us that any regularity we may find among inductive inferences is restricted to some domain and is dependent for its warrant on the particular facts that obtain there. Second, “There are no universal rules for inductive inference.” It reflects the core posit that the warrant of an inductive inference is not traced back ultimately to some universal schema but to facts that obtain only locally.

If one were to encounter this last slogan in isolation, one might mistake it for a skeptical thesis akin to Feyerabend’s notorious “anything goes.” This is very far from its import. The slogan is merely a part of the relocating of the warrant of inductive inferences from rules to facts. The material theory does not seek to undermine inductive inference; it seeks to save it. For the formal approaches that dominate the literature have simply failed in their most important functions. None gives us a successful system, applicable universally, for discerning the good from the bad inductive inferences. None gives an account of why the inferences it does authorize are appropriate. This last failure stands in stark contrast to standard

examples of deductive inference. Inferences warranted by the deductive schema *all-some* are good inferences simply in virtue of the meaning of “all” and “some.” These final considerations pose two problems that the material theory solves.

First, inference schemas in the present literature cannot be used universally. While the writings of Bayesians are curiously silent on the question, they will concede to me in conversation that their system does not apply everywhere. This invites key questions about where the limits are and how we identify them. The material theory answers: one must locate the facts that can warrant the schema, Bayesian or otherwise. The schemas can be applied only in domains where those facts obtain.

Second, merely stating an inference schema does not automatically make it a good one. In familiar deductive cases, we discern that they are good because of the meaning of the connectives. We cannot do the same for inductive schemas. Instead, the material theory tells us that certain inference schemas are good since they depend on factual matters in the domain of application. Biological predicates, like “is mortal” and “has a blood circulation system,” appear in living species in a regular manner, which authorizes the inferences sketched above.²

Adopting the material approach to inductive inference leads one to approach problems in inductive inference differently. There is no default schema that can be applied mechanically and automatically. If one wants to employ some mode of inductive inference in some context, one must be able to supply positive reasons for why that mode is applicable in that circumstance. This applies also to probabilistic inference. One should not assume by default that this type of inference always applies. If it is to be used in some domain, we have a positive obligation to provide the foundations for its applicability. Otherwise, it cannot be used.

While this book is largely unconcerned with beliefs (credences) as opposed to objective relations of inductive support, the moral carries over. There should not be a default presumption that credences are probabilities. If credences are to be represented as probabilities in some circumstance,

2 Mortality is not assured. Symmetrically dividing bacteria and yeast cells can be rejuvenated in the division such that they may persist indefinitely.

then positive reasons must be given for why they are appropriate in that circumstance.

The Chapters

The book is divided into two parts. Chapters 1–9 are devoted to laying out the basic ideas of the material theory and applying it to what are identified above as the qualitative approaches to inductive inference. Chapters 10–16 concern quantitative approaches, most notably the probabilistic approaches of Bayesianism.

Chapter 1 states the basic propositions of the material theory of induction. These are developed with the help of Marie Curie's inferences from the crystallographic properties of her sample of radium chloride to those of all possible samples. This is an instance of enumerative induction of breathtaking scope. It depends on the evidence of just a few specks of the only sample of radium chloride then known. This chapter also shows how the material theory can warrant successful inferences of this form, even inferences of breathtaking scope, by displaying the underlying facts that warrant them. In this case, the pertinent fact is Haüy's principle. It lies at the core of extensive investigations into the properties of crystals in the nineteenth century and solves the vexing problem of discerning just which of the many properties of crystals are projectable—that is, suitable for enumerative inductions.

Chapter 2 elaborates the argument stated briefly above that justifies the material theory of induction. The essential ideas of the justification are these. No extant formal schema of inductive inference has proven to be applicable universally. The successes of all these schemas can be explained by the material facts within the restricted domains in which they succeed. Most importantly, inductive inference is by its nature ampliative. This means that its conclusions are logically stronger than its premises. Hence, an inductive inference can only succeed in domains in which further background facts are hospitable to it. This chapter also poses the inductive puzzle “1, 3, 5, 7. What's next?” The puzzle is, of course, insoluble non-trivially without some indication of the background facts that can serve to warrant an inductive inference that answers the question “What's

next?" The chapter discusses the underappreciated and ingenious way Galileo solved this problem.

Chapters 3 to 9 address specific rules and schemas proposed in the literature for inductive inference. The goal of these chapters is to show that when these rules or schemas work, they do so because of identifiable background facts, and that they can only work in domains with such hospitable facts. We also find in each case that the apparent unity of application of the candidate rule survives only as long as we do not look too closely at the details of the examples. As we consider these details more thoroughly, we find the specific background facts taking on the primary burden of warranting the inferences. The original rule survives only as a superficial similarity among the examples.

In writing these chapters, I have tried as much as possible to use examples of inductive inference from real science. This literature can suffer when commonplace, non-scientific examples are used to guide our inductive inferences in science. The material theory predicts the problem: since the background facts of ordinary life differ from those of abstruse scientific contexts, there is no basis for expecting the same inferential schemas to work in both contexts.

Chapter 3 looks at the idea of replication of experiment, which is routinely touted in the scientific literature as the "scientific gold standard." We find this merely a useful but defeasible rule of thumb. It has not been given a precise enough formulation, comparable to those of the schemas of deductive logic, that would enable its mechanical application. Through a series of case studies, I show that the rule is defeasible and has been overruled in every possible combination. Successful replications (intercessory prayer) and failures of replication (Miller experiment) have both been discarded as evidentially inert. However, on a case-by-case basis, warrants for the strong inferences associated with individual replications can be found in particular facts in their domains. A general principle of replication is superfluous.

Chapter 4 investigates analogy, a traditionally recognized argument form whose history extends back to Aristotle. However, a review of the recent literature shows that efforts to express the form precisely as a universal rule devolve into an explosion of divisions into special cases and further qualifying clauses. Each expansion produces new problems that

require further expansions and, paradoxically, carries us farther from any final formulation. This conception of analogy as an argument form is contrasted with how analogies are treated by scientists. For them, analogies are facts. This fits with a material analysis, for it allows analogies to be both facts and warrants for inductive inferences. Among these warrants, there can be no universal, formal rules. Efforts to adapt a candidate analogical rule to real examples will force a proliferation of conditions, while the rules seek a unity not present in the details of the examples. Instead, the inferences we label analogical are warranted by the facts of analogy identified by the scientists. In the examples explored in the chapter, Galileo infers analogically that there are mountains on the moon. His inferences are justified by the dark patches visible on the moon's surface that are formed by the same processes that produce shadows on the earth. The same factual basis for inference is found in two further case studies: Reynolds analogy in transport phenomena in fluid engineering and the liquid drop model of the nucleus of an atom.

Chapter 5 takes an unflinching look at the now-fashionable talk of “epistemic values” or “epistemic virtues.” An early-twentieth-century quantum physicist who prefers the logically inconsistent old quantum theory does so, we are to suppose, because that physicist values simplicity over the competing virtue of logical consistency. The latter, however, is valued more highly by a classical physicist who then finds a different import for the same evidence. If the terms “virtue” and “value” have their usual meanings, they are ends in themselves and can be freely chosen by us. With this understanding, the physicists' inferences cease to be objective. The bearing of evidence merely reflects the physicists' freely chosen biases and prejudices. This, I maintain, is not how notions of simplicity and logical consistency are used, when used properly. They are not values but criteria whose use is justified by their heuristic ability to lead us to the truth. They are defeasible and can be discarded when they cease to serve this end. Unless we wish to endorse an inductive skepticism by our use of tendentious language, we should stop using the misleading language of virtue and value. The term “criterion” serves better.

Chapter 6 examines the inductive criterion of simplicity in greater detail. There is no precise rule that tells us when to prefer simpler hypotheses. The principle that “entities must not be multiplied beyond necessity,”

misattributed to William of Ockham, is vacuous by not specifying what counts as an entity and what counts as necessary. We are deceived into allowing the vacuity of the principle to pass, in part, because of the faux dignity of its expression in Latin. Instead, appeals to parsimony in real evidential situations are abbreviated appeals to specific background facts that tell us which are the simplest cases. In curve fitting, for example, straight lines are not necessarily the simplest starting point. If we are fitting trajectories to the observed positions of comets, background facts tell us to start with parabolas, then ellipses, and then hyperbolas. For tidal data, we start with an elaborate set of sinusoidal curves whose periods are adapted to the physical parameters of the tidal processes.

Chapter 7 probes the Akaike Information Criterion, which has been offered as a vindication through statistical theory of a general principle of parsimony. Closer scrutiny reveals that the criterion neither employs a presumption of parsimony in its derivation nor does it entail any such general principle. Its celebrated formula merely adds a term that corrects for the overfitting of data in curve-fitting problems. We, not the statistics, illicitly interpret this narrowly applicable term as a vindication of a broader principle of parsimony. The presence of the term itself depends upon strong background assumptions, most notably that the true curve lies within the model being tested. Assumptions like these are the material facts that warrant inferences that use the Akaike Information Criterion.

Chapter 8 addresses the popular argument form inference to the best explanation. The hope of its proponents is that there is some feature, peculiar to explanation, that can power inductive inferences. Close analysis, however, proves unable to locate such a feature. Indeed, notions of explanation are so varied that instances of inferences to the best explanation may bear only superficial similarity to one another. At this superficial level, these arguments share a rudimentary common form. Real examples in science commonly begin as comparative arguments. One hypothesis is favored over another because the first entails the evidence. The competing hypothesis fails the evidence. It is either refuted deductively by the evidence or must take on a substantial evidential debt in the form of further unsupported assumptions if it is to remain compatible with the evidence. The success of the favored hypothesis does not rest on any peculiar explanatory prowess, but merely on its adequacy to the evidence and, more

importantly, the failure of the competitor. The more fraught subsequent step of the inference must show that the favored hypothesis prevails over not just this one explicit competitor, but against all. This is often left tacit in real cases in science.

Chapter 9 seeks to reverse a decline in the literature on inference to the best explanation. This literature began rich in real examples drawn from science. The most notable is Darwin's self-conscious use of this argument form in his *On the Origin of Species*. Since then, proper study of scientific examples has been replaced gradually by imperfect mentions of them that often oversimplify and misinterpret them, and by prosaic illustrations drawn from everyday life. The entirety of Peter Lipton's canonical monograph, *Inference to the Best Explanation*, contains only one example from real science that is developed at length. It is Semmelweis' identification of the cause of childbed fever (Lipton 2004, chap. 3). The example is poorly chosen since it is one of the few that happens to be treated more precisely by the simple thinking of Mill's methods.

This literature has been increasingly dominated by superficial examples. The best explanation for footprints in the snow, for example, is that someone has walked there. This example is unlike those in science, for the human explanation of a person making distinctive marks has no serious competitors. Worse, it encourages explanation by intelligent intervention. This would be an unwelcome encouragement to Darwin. He sought to overthrow intelligent creation as an explanation for biological features. My contribution is to provide a somewhat more detailed exposition of eight cases in science to which the loose pattern of inference to the best explanation can be fitted. I show in each case how some powerful, primitive notion of explanation plays no role. The examples illustrate and support the general claims made in Chapter 8 for the structure of inferences to the best explanation in real science.

With Chapters 10 to 16, the narrative takes a different turn. The Bayesian approach presently dominates thinking about inductive inference in the philosophy of science. According to this approach, relations of inductive support are recoverable in some manner from probabilistic relations among propositions. I have no quarrel with the use of these probabilistic methods in domains where the background facts specifically authorize them. There are many such domains. Where I differ from

the Bayesians is over their ambitions of providing a universally applicable understanding of inductive relations. Contrary to the title of Edwin Jaynes' Bayesian manifesto, it is not "The Logic of Science"; it is only the logic of certain special cases. My arguments against the ambitions of universality are laid out in these chapters.

Chapter 10 has the title "Why Not Bayes." It is a statement, not a question. I illustrate how background conditions can lead us to non-probabilistic representations of evidential relations using the extreme illustration of completely neutral evidence. For this case, application of simple invariances leads to a highly non-additive representation of inductive support. It is quite contrary to the additivity of a probability measure. I argue that even the contrivances of the new literature in "imprecise probability" can sometimes fail to do justice to it.

Bayesian analysis is distinctive in that, laudably, it has taken seriously the burden of proving the uniqueness of its probabilistic representations. This chapter argues that all these efforts must fail since they all have the same structure. Whether they are Dutch book arguments or employ representation theorems, they proceed from some set of assumptions and then *deduce* that the targeted beliefs or relations of inductive support must conform to the probability calculus. This last conclusion is a contingent proposition. It follows that it can only be deduced from assumptions that are at least as strong as it logically. Hence, necessarily, the assumption of probabilities must be hidden within the starting assumptions. The proofs are not demonstrations of the necessity of probabilities, but merely a restatement of a preference encoded in its premises. Once one realizes this, it becomes a mechanical exercise to identify and expose the hidden assumptions. I carry out the exercise for Dutch book arguments and representation theorems and note that all similar arguments will fail in the same way.

Chapter 11 contains an extended example of this last exercise. The scoring rule or "accuracy-based" vindication of probabilism is based on a dominance theorem. If our credences are not probabilistic, then the theorem tells us that we can always improve the accuracy of our credences, no matter what the true situation may be, merely by shifting our credences to a probability. The chapter shows that the theorem is sensitively dependent on the particular scoring rule used to measure the inaccuracy of credences.

It develops a family of scoring rules such that any desired deviation from additivity in the credences can be secured simply by choosing the requisite rule from the family. Then, a variant theorem shows the dominance of credences with the specified deviation from additivity. The literature in accuracy-based vindications has sought to parry such possibilities by seeking further reasons for why only those rules that deliver probabilities are admissible. These efforts cannot succeed since they still seek to derive probabilities deductively from further assumptions. I continue the exercise of showing how these further assumptions still have the presumption of probabilities hidden within them.

Chapter 12 addresses a more general problem facing all efforts to devise a mathematical calculus for strengths of inductive support. Applications of Bayes' theorem require specification of prior probabilities, which make a difference to the resulting posterior probabilities. Since these prior probabilities must be determined by factors external to applications of Bayes' theorem, it follows that this specific computation is not inductively self-contained. One might hope to eliminate this dependence on external considerations by a suitable expansion of the scope of the application of Bayes' theorem. The prior probabilities would then be recovered as posterior probabilities of antecedent applications of Bayes' theorem. Continued expansion might, we hope, eventually eliminate the intrusion of external considerations. It is well known that such hopes fail. No matter how large the scope of the application, one is never freed from the need to use external considerations to fix prior probabilities.

It turns out that the inductive incompleteness of the Bayesian system is not a failure unique to the Bayesian system. Rather, it is an instance of a broader incompleteness that afflicts all candidate calculi of inductive inference. That is, a theorem demonstrated elsewhere shows that this incompleteness must arise in all such calculi that conform with weak and broadly acceptable conditions. This chapter does not develop the theorem in all its mathematical details but presents its core ideas and some illustrations of it. The theorem gives a precise instantiation of the slogan "there are no universal rules of inductive inference." It shows that there are no inductively complete calculi of inductive inference.

The remaining Chapters 13 to 16 present further situations in which the background facts warrant formal treatments of inductive support that

are not probabilistic. They illustrate the locality of inductive inference. In each case, we must first find the facts prevailing in some domain and then read from those facts the particular logic that would apply to the domain.

Chapter 13 considers an infinite lottery machine that chooses without favor among a countable infinity of outcomes, labeled 1, 2, 3, 4, The condition that the lottery machine chooses without favor is expressed as an invariance, "label independence." According to this independence, the support accrued to any individual outcome, or set of outcomes, remains the same no matter how we may permute the labels. This independence exercises a profound restriction on the formal behavior of strengths of support. For example, all infinite sets of outcomes whose complements are also infinite must accrue the same support. This sector of the logic is highly non-additive. A corollary is that the relative frequency of even-numbered outcomes does not stabilize towards one half in many, repeated drawings. Rather, all relative frequencies continue to accrue equal support. The factual conditions characteristic of the infinite lottery machine arise in a particular problem in recent inflationary cosmology. The infinite lottery machine logic is the applicable logic.

Chapter 14 undertakes the same exercise for an uncountably infinite outcome set, particularly the continuum-sized set of outcomes formed by the real numbers between zero and one. One might think that choosing without favor among outcomes in this set is easily achieved probabilistically by a uniform probability distribution. This is a misleading assumption since by foundational design such a probability distribution neglects to assign probabilities to many subsets of outcomes of the space. If we require a representation that covers all subsets, we arrive at a logic similar to that of the infinite lottery machine logic but with more sectors. The chapter then considers successive restrictions that would move the logic towards a probabilistic logic. With each restriction, we find a variant of the non-probabilistic inductive logic warranted. One application of these intermediate logics is the continuous creation of matter in the steady-state cosmology of Bondi, Gold, and Hoyle. The most interesting cases technically arise with paradoxical decompositions of measure spaces. These decompositions show the existence of outcome sets not measurable by additive measures, such as a probability measure. To make the character of these decompositions more concrete, the chapter develops nonmeasurable

sets derived from coin tosses. It turns out that a variant but weak inductive logic—an “ultrafilter logic”—applies to these sets.

Chapter 15 investigates the inductive logic warranted in two sorts of indeterministic physical systems. The first are those whose temporal behavior is indeterministic. They are quiescent for an arbitrary time and then, without any specific triggering event, spontaneously move. The chapter develops the especially simple example of the infinite domino cascade, which is new in the literature. The second type of indeterministic system is that in which specification of one part of the system fails to fix the remainder. Fixing the mass distribution in Newtonian cosmology fails to fix the gravitational potential. It is also shown that no probability measure can represent the indeterminacy. The infinite dimensionality of the space of Newtonian potentials presents especially intractable problems for additive measures. Instead, it is shown that the background facts of the systems realize the invariance that led to the completely neutral support elaborated in Chapter 10. This is the logic applicable to these indeterministic systems.

The alternative inductive logics explored so far all tend to be simpler in their structures than the additive measures of probability theory. Chapter 16 shows that this need not be so. The system considered is the spin of electrons in quantum theory. While probabilities arise in the process of quantum measurement, they do not turn out to be the structure representing inductive support that is warranted by the physical facts of quantum theory. That structure, rather, is the density operator that also represents states in quantum theory. The chapter explains what these operators are, how they come about, and how they represent inductive support. The development is written at a level that presumes no special knowledge of quantum theory but assumes some comfort with abstract mathematics. We learn from the example that background facts in some domains can warrant an inductive logic of some complexity that is quite different in its structure from a probabilistic logic.

A Material Theory of Induction or *The* Material Theory of Induction?

Finally, a note on terminology. Is it *a* material theory of induction or *the* material theory of induction? I use both expressions. The first refers to

the general idea of finding the warrants for inductive inferences in background facts. There is no presumption in this usage of a particular way of proceeding beyond just the general idea. The second expression—*the material theory of induction*—refers to the particular instantiation of the general idea found in this book and my relevant papers.

REFERENCES

- Lipton, Peter. 2004. *Inference to the Best Explanation*. 2nd ed. London: Routledge.
- Norton, John D. 2005. "A Little Survey of Induction." In *Scientific Evidence: Philosophical Theories and Applications*, edited by P. Achinstein, pp. 9–34. Baltimore: The Johns Hopkins University Press.